

13 B: Summary of CS1102S

CS1102S: Data Structures and Algorithms

Martin Henz

April 16, 2010

- 1 Highlights of CS1102S
- 2 Java API Support for Data Structures
- 3 Outlook to Other Modules

Algorithm Analysis (Chapter 2)

- Asymptotic behavior: Big-oh, Big-theta, Big-omega
- Analysing loops
- Recurrences

Example of Recurrence

Runtime $T(N)$

$$T(1) = 1$$

$$T(N) = 2T(N/2) + N$$

Theorem

$$T(N) = O(N \log N)$$

Lists, Stacks, Queues (Chapter 3)

- Collections (add, contains, remove)
- Lists: indexed elements
 - ArrayList: Implementation based on resizable arrays
 - LinkedList: Implementation based on chains of objects
- Stacks and queues: position-oriented
 - Stack: Last-In, First-Out (LIFO)
 - Queue: First-In, First-Out (FIFO)

Trees (Chapter 4)

- Trees ubiquitous in CS (e.g. expression trees)
- Search trees for efficient collections of ordered elements
- Average insertion/retrieval time: $O(\log N)$
- Worst case: $O(N)$ (linked list)

Hashing (Chapter 5)

- Collections that exploit mapping of elements (keys) to (nearly) unique hash values
- Separate chaining: keep linked lists of colliding elements
- Linear/quadratic probing; double hashing

Priority Queues (Chapter 6)

- Collection of ordered elements with efficient deleteMin and insert
- Idea: use complete binary tree with heap property (implemented by an array)
- insert: $O(\log N)$ and on average using 2.607 comparisons
- deleteMin: $O(\log N)$

Sorting (Chapter 7)

- Insertion sort, bubble sort: exchanging adjacent elements: $O(N^2)$
- Shellsort: use larger step size: $\Theta(N^{3/2})$
- Heapsort: Use priority queue for sorting, re-using shrinking array: $O(N \log N)$
- Mergesort: Divide-and-conquer: Split in half, and merge: $O(N \log N)$
- Quicksort: Divide-and-conquer: Split using pivot, merge trivial: average and best $O(N \log N)$, worst: $O(N^2)$

Graph Algorithms (Chapter 8)

- Definitions: Section 9.1
- Topological sort: Section 9.2
- Shortest-Path: 9.3 (excluding 9.3.4, 9.3.5, 9.3.6)
- Network Flow: 9.4
- Minimum Spanning Tree: 9.5.1
- Intro to NP-Completeness: 9.7

Algorithm Design Techniques

- Greedy algorithms: example Huffman codes
- Divide and conquer: sorting, closest-points
- Dynamic programming: optimal binary search tree
- Backtracking algorithms: turnpike reconstruction, games

External Algorithms

- B-trees: 4.7
- External sorting: 7.10 (excluding 7.10.5 and 7.10.6)

1 Highlights of CS1102S

2 Java API Support for Data Structures

- Collections, Lists, Iterators
- Trees
- Hashing
- PriorityQueue
- Sorting

3 Outlook to Other Modules

The Top-level Collection Interface

```
public interface Collection<Any>
    extends Iterable<Any>
{
    int size ();
    boolean isEmpty ();
    void clear ();
    boolean contains (Any x);
    boolean add (Any x);      // sic
    boolean remove (Any x);  // sic
    java.util.Iterator<Any> iterator ();
}
```

The List Interface in Collection API

```
public interface List<Any>  
    extends Collection<Any>  
{  
    Any get(int idx);  
    Any set(int idx, Any newVal);  
    void add(int idx, Any x);  
    void remove(int idx);  
  
    ListIterator<Any> listIterator(int pos);  
}
```

ArrayList and LinkedList

```
public class ArrayList<Any>  
    implements List<Any> {...}  
public class LinkedList<Any>  
    implements List<Any> {...}
```


Iterators

```
public interface Iterator<Any> {  
    boolean hasNext( );  
    Any next( );  
    void remove( );  
}
```

ListIterators

```
public interface ListIterator <Any>
    extends Iterator <Any>
{
    boolean hasPrevious ();
    Any previous ();
    void add (Any x);
    void set (Any newVal);
}
```

TreeSet

- Implements Collection
- Guarantees $O(\log N)$ time for add, remove and contains

AbstractMap<K,V>

Basic operations

- V get(K key): Returns the value to which the specified key is mapped.
- V put(K key, V value): Associates the specified value with the specified key in this map.

Other operations

containsKey(key), containsValue(val), remove(key)

TreeMap

- Extends AbstractMap
- Guarantees $O(\log N)$ time for put, get, containsKey, containsValue, remove

HashMap

- Extends AbstractMap
- Uses separate chaining with rehashing
- Rehashing is governed by initial capacity and load factor, set in constructor

HashSet

- Implements Collection using HashMap

PriorityQueue

- Implements Collection
- Efficient implementation of heap data structure
- Operation names:
 - deleteMin is called “poll”
 - insert is called “add” (of course)

Sorting

- Generic sorting supported by class Collections
- Uses mergesort in order to minimize number of comparisons
- Sorting of built-in numerical types supported by class Arrays
- Uses efficient implementation of quicksort, to take advantage of tight inner loop.

Algorithm-related Modules

- CS3233 Competitive Programming
- CS3230 Design and Analysis of Algorithms
- CS4231 Parallel and Distributed Algorithms
- CS5206 Foundation in Algorithms

Programming-languages-related Modules

- CS2104 Programming Language Concepts
- CS3210 Parallel Computing
- CS3211 Parallel and Concurrent Programming
- CS4215 Programming Language Implementation
- CS4216 Constraint Logic Programming
- CS5205 Foundation in Programming Languages