

Crash Course Session 04—Remaining Details

CS1102S: Data Structures and Algorithms

Martin Henz

January 22, 2010

Generated on Friday 22nd January, 2010, 17:35

Crash Course Session 04—Remaining Details

CS1102S: Data Structures and Algorithms

Martin Henz

January 22, 2010

Generated on Friday 22nd January, 2010, 17:35

Three Ways of Using Classes in Other Packages

- Wildcard import
- Single-class import
- Direct addressing

Wildcard Import

- Import all classes from a package using *
- Example:

```
import javax.swing.*; // all classes visible
```

```
class ImportTest {  
    public static void main(String[] args) {  
        JOptionPane.showMessageDialog(null, "Hi");  
        System.exit(0);  
    }  
}
```

Single-class Import

- Import specific class by naming it
- Example:

```
import javax.swing.JOptionPane;
```

```
class ImportTest {  
    public static void main(String[] args) {  
        JOptionPane.showMessageDialog(null, "Hi");  
        System.exit(0);  
    }  
}
```

Direct Addressing

- Name the full path of the class, including package name and sub-package names
- Example:

```
class ImportTest {  
    public static void main(String [] args) {  
        javax.swing.JOptionPane  
            .showMessageDialog(null , "Hi" );  
        System.exit(0);  
    }  
}
```

Constructors

- Constructor gets called when you create a new instance using new
- Used to initialize object fields
- Constructor name must be the name of the class

Constructors (cont)

- If you do not specify a constructor, a default constructor is created. Thus if you define a class:

```
class MyClass {  
    // no constructor here  
    ...  
}
```

it becomes

```
class MyClass {  
    MyClass () {  
        super ();  
    }  
}
```


Differences between Methods and Constructors

- Constructors do not have a return type
- Constructors do not have a return statement
- The first line of a constructor must be a call to another constructor in the same class, or a call of a constructor of the superclass.
- If there is no such a first line, the compiler inserts a call:
`super () ;`

Constructor Call in Same Class

- One constructor can call another constructor in the same class, using this
- Example:

```
public class Point {  
    int m_x; int m_y;  
    public Point(int x, int y) {  
        m_x = x; m_y = y;  
    }  
    public Point() {  
        this(0, 0);  
    }  
}
```

Constructor Call of Superclass

- One constructor can call a constructor of the superclass, using `super`
- Example:

```
public class ColorPoint extends Point{
    Color color;
    public ColorPoint(int x, int y, Color c) {
        super(x,y);
        color = c;
    }
}
```

Interfaces

- Interface contains methods that have to be defined by any class that implements it.
- Similar to completely abstract class (but cannot have static methods)
- Interface methods do not have bodies

Declaring an Interface

- Interfaces are declared using interface
- Example:

```
public interface ActionListener {  
    public void actionPerformed(ActionEvent e);  
}
```

Implementing an Interface

- Interfaces are used (“implemented”) via implements
- Example:

```
public class MyPanel extends JPanel
    implements ActionListener {
    public void actionPerformed(ActionEvent e) {
        /* Method body */
    }
    // Everything else in this class.
}
```

this in Methods

- Every non-static method can refer to the current object using `this`
- `this` can be used wherever identifiers are used.
- Examples:

```
p( this . myfield );  
this . myMethod( 1 , 2 );  
someFunction( 1 , 2 , this );
```

super in Methods

- We have seen super in action for constructors
- super can be used to call a superclass method
- Example:

```
class Himalayan extends Cat {  
    public Himalayan() {}  
    public Himalayan(String nameIn) {  
        name = nameIn;  
    }  
    public String getName() {  
        return (name + " the Himalayan");  
    }  
    public String getNameAsCat() {  
        return super.getName();  
    }  
}
```