

Push Down Automata

$$P = (Q, \Sigma, \Gamma, \delta, q_0, Z_0, F).$$

- Q : Finite set of states; q_0 is the start state; F is the set of final/accepting states.
- Σ : Alphabet set; Γ : Stack alphabet
- Z_0 is the (only) initial symbol on the stack.
- δ : transition function.

δ takes as input a state q , an input letter a (or ϵ), and a stack symbol (top of stack) X . $\delta(q, a, X)$ is then a finite subset of $Q \times \Gamma^*$.

$(p, \gamma) \in \delta(q, a, X)$ denotes that when in state q , reading symbol a (or ϵ), with top of stack being X , the machine's new state is p , X at the top of stack is popped and γ is pushed to the stack. (By convention, if $\gamma = RS$, then S is pushed first, and then R is pushed on the stack).

Instantaneous Descriptions

(q, w, α) : denotes that current state is q , input left to read is w , and α is on the stack (first symbol of α is top of stack).

$(q, aw, X\alpha) \vdash (p, w, \beta\alpha)$, if $(p, \beta) \in \delta(q, a, X)$ (here a can be ϵ).

One can similarly define \vdash_P^* (or simply \vdash^* , where P is understood).

1. $I \vdash^* I$

2. $I \vdash^* J$ and $J \vdash K$, then $I \vdash^* K$

Language accepted by PDA

Acceptance by final state.

$\{w \mid (q_0, w, Z_0) \vdash_P^* (q_f, \epsilon, \alpha), \text{ for some } q_f \in F\}$.

Acceptance by empty stack.

$\{w \mid (q_0, w, Z_0) \vdash_P^* (q, \epsilon, \epsilon), \text{ for some } q \in Q\}$.

From Acceptance using empty stack to Acceptance using Final State

Intuition: Initially put a special symbol onto the stack.

If ever see the top of stack as that symbol, then go to final state.

$$P = (Q, \Sigma, \Gamma, \delta, q_0, Z_0, F).$$

$$P_F = (Q \cup \{p_0, p_f\}, \Sigma, \Gamma \cup \{X_0\}, \delta_F, p_0, X_0, \{p_f\}).$$

$$1. \delta_F(p_0, \epsilon, X_0) = \{(q_0, Z_0X_0)\}.$$

2. For all $Z \in \Gamma$, $a \in \Sigma \cup \{\epsilon\}$: $\delta_F(p, a, Z)$ contains all (q, γ) which are in $\delta(p, a, Z)$.

3. $\delta_F(p, \epsilon, X_0)$ contains (p_f, ϵ) , for all $p \in Q$.

From Acceptance using final state to Acceptance using empty Stack

Place a transition from final state to a special state which empties the stack.

$$P = (Q, \Sigma, \Gamma, \delta, q_0, Z_0, F).$$

$$P_E = (Q \cup \{p_0, p_f\}, \Sigma, \Gamma \cup \{X_0\}, \delta_E, p_0, X_0, \{p_f\}).$$

$$1. \delta_E(p_0, \epsilon, X_0) = \{(q_0, Z_0 X_0)\}.$$

2. $\delta_E(p, a, Z)$ contains all (q, γ) which are in $\delta(p, a, Z)$, for all $Z \in \Gamma$ and $a \in \Sigma \cup \{\epsilon\}$.

3. $\delta_E(p, \epsilon, Z)$ contains (p_f, ϵ) , for all $p \in F$, and $Z \in \Gamma \cup \{X_0\}$.

4. $\delta_E(p_f, \epsilon, Z)$ contains (p_f, ϵ) , for all $Z \in \Gamma \cup \{X_0\}$.

Equivalence of CFGs and PDAs

First we show how to accept a CFG.

We use the accepting by empty stack model.

Intuitively, do left-most derivation. Use stack to keep track of “what is left to derive”. Each time there is a non-terminal on the top of stack, guess a production to be used and push it on the stack. Terminal symbols can be matched as it is.

Details:

$$G = (V, T, P, S).$$

Then, construct $PDA = (\{q_0\}, \Sigma, \Gamma, \delta, q_0, S, F)$,

where, $\Sigma = T$,

$$\Gamma = V \cup T.$$

$$\delta(q_0, a, a) = \{(q_0, \epsilon)\}$$

$\delta(q_0, \epsilon, A)$ contains (q_0, γ) , for each $A \rightarrow \gamma$ in P .

Now we show that each language accepted by a PDA (using empty stack) can be accepted by a CFG.

Suppose PDA is $(Q, \Sigma, \Gamma, \delta, q_0, Z_0, F)$.

We define grammar $G = (V, \Sigma, R, S)$ as follows.

$V = \{S\} \cup \{[qZp], q, p \in Q, Z \in \Gamma\}$.

$S \rightarrow [q_0Z_0p]$, for each $p \in Q$.

If $\delta(q, a, X)$ contains $(r, Y_1 \dots Y_k)$, then we have productions of form:

$[qXr_k] \rightarrow a[rY_1r_1][r_1Y_2r_2] \dots [r_{k-1}Y_kr_k]$,

for all $r_1, r_2, \dots, r_k \in Q$.

Deterministic PDA

1. For all $a \in \Sigma \cup \{\epsilon\}$, $Z \in \Gamma$ and $q \in Q$, there is at most one element in $\delta(q, a, Z)$.

2. If $\delta(q, \epsilon, X)$ is non-empty, then $\delta(q, a, X)$ is empty for all $a \in \Sigma$.

Theorem: There exists a class of languages which is accepted by PDA (NPDA) but not by any DPDA.