

# CS3231

## Tutorial 8

1. Use dynamic programming algorithm to determine whether  $aabaabba$  belongs to the language generated by the grammar:

$$\begin{aligned}S &\rightarrow AB \\ B &\rightarrow b|AC \\ A &\rightarrow CD \\ C &\rightarrow a|b|DA \\ D &\rightarrow a|b\end{aligned}$$

2. Prove or disprove that the following are context-free languages:

- (a)  $\{a^{2n}b^nc^n \mid n \geq 1\}$ .
- (b)  $\{a^nb^mc^q \mid n \neq m \text{ or } m \neq q\}$ .
- (c)  $\{a^nb^mc^k \mid n \leq m \leq k\}$ .
- (d)  $\{a^n \mid n \text{ is a prime}\}$ .
- (e)  $\{w \mid w \text{ has equal number of } a\text{'s, } b\text{'s and } c\text{'s}\}$ .
- (f)  $\{a^ib^jc^kd^l \mid i = 0 \text{ or } j = k = l\}$ .

3. Prove or Disprove:

- (a) If  $L_1$  and  $L_2$  are context free, then  $L_1 \cap L_2$  is context free.
- (b) If  $L_1$  and  $L_2$  are context free, then  $L_1 \cup L_2$  is context free.

4. Ogden's Lemma: There is a stronger version of pumping lemma known as Ogden's lemma, given below. Prove it. (Method of proof is essentially similar to pumping lemma, except that we concentrate on distinguished positions, rather than any symbol in  $z$ ).

Ogden's Lemma: Let  $L$  be a CFL. Then there exists a constant  $n$  such that the following holds for any string  $z$  of length at least  $n$  in  $L$ . If we mark at least  $n$  positions in  $z$  to be distinguished, then we can write  $z = uvwxy$  such that:

- (a)  $vw$  has at most  $n$  distinguished positions;
- (b)  $vx$  has at least one distinguished position;
- (c) For all  $i$ ,  $uv^iwx^iy$  is in  $L$ .

5. Use Ogden's Lemma to show that

$\{0^i1^j0^k \mid j = \max(i, k)\}$  is not context free.