## 1. Discussion Questions

These are meant for your own discussion. No answers will be provided.

D1 Which of the following are true? Which are false?

(a)  $\emptyset \in \emptyset$ .

(e)  $\{\emptyset, 1\} = \{1\}.$ 

(i)  $\emptyset \in \{1,2\}.$ 

(b)  $\emptyset \subseteq \emptyset$ .

(f)  $1 \in \{\{1,2\}, \{2,3\}, 4\}.$ 

(j)  $\{1,2,3\} = \{3,1,1,2\}.$ 

(c)  $\emptyset \in \{\emptyset\}$ .

(g)  $\{1,2\} \subseteq \{3,2,1\}.$ 

(k)  $\{5\} \in \{2,5\}$ .

(d)  $\emptyset \subseteq \{\emptyset\}$ .

(h)  $\{3,3,2\} \subsetneq \{3,2,1\}$ .

(I)  $\{1,2\} \in \{1,\{2,1\}\}.$ 

D2. Let  $A = \{0,1,4,5,6,9\}$  and  $B = \{0,2,4,6,8\}$ . Find  $|A \cap B|$  and  $|A \cup B|$ .

D3. Let  $A = \{1, \{1,2\}, 2, \{2,1,1\}\}$ . Find |A| and write out  $A \times A$  in its simplest form (that is, with no duplicate elements).

## 2. Tutorial Questions

Note that the sets here are finite sets, unless otherwise stated.

1. Let  $\mathcal{P}(A)$  denotes the power set of A. Find the following:

a.  $\mathcal{P}(\{a,b,c\})$ ;

b.  $\mathcal{P}(\mathcal{P}(\mathcal{P}(\emptyset)))$ .

2. Let the universal set be  $\mathbb{R}$ ,  $A = \{x \in \mathbb{R} : -2 \le x \le 1\}$  and  $B = \{x \in \mathbb{R} : -1 < x < 3\}$ .

Note that A and B may be written as [-2,1] and (-1,3) respectively using real numbers interval notation (Lecture #5 slide 27). Find the following and write your answers in set-builder notation, and if appropriate, also in interval notation.

a.  $A \cup B$ ;

b.  $A \cap B$ ;

c.  $\bar{A}$ ;

d.  $\bar{A} \cap \bar{B}$ ;

e.  $A \setminus B$ .

3. (AY2022/23 Sem2 mid-term test.)

For each of the following statements, prove whether it is true or false.

a. There exist non-empty finite sets A and B such that  $|A \cup B| = |A| + |B|$ .

b. There exist non-empty finite sets A and B such that  $|A \cup B| \neq |A| + |B|$ .

c. There exist finite sets A and B such that  $A \times \mathcal{P}(B) = \mathcal{P}(A \times B)$ .

Aiken thought that (c) is false and he provided a proof as follows:

- 1. Let |A| = n, |B| = k.
- 2. Then  $|\mathcal{P}(B)| = 2^k$  (cardinality of power set).
- 3.  $|A \times B| = nk$  (cardinality of Cartesian product) and hence  $|\mathcal{P}(A \times B)| = 2^{nk}$  (cardinality of power set).
- 4. Then  $|A \times \mathcal{P}(B)| = n2^k$  (cardinality of Cartesian product).
- 5. Since  $|A \times \mathcal{P}(B)| = n2^k \neq 2^{nk} = |\mathcal{P}(A \times B)|$ , therefore the statement is false.

Is Aiken's conclusion that the statement is false correct? Is his proof correct? If his proof is not correct, can you write a correct proof?

- 4. Let  $A = \{2n + 1 : n \in \mathbb{Z}\}$  and  $B = \{2n 5 : n \in \mathbb{Z}\}$ . Is A = B? Prove that your answer is correct. What does this tell us about how odd numbers may be defined?
- 5. Using definitions of set operations (also called the **element method**), prove that for all sets A, B, C,

$$A \cap (B \setminus C) = (A \cap B) \setminus C$$
.

6. (Past year's midterm test question.)

Using **set identities** (Theorem 6.2.2), prove that for all sets A, B and C,

$$A \setminus (B \setminus C) = (A \setminus B) \cup (A \cap C).$$

- 7. For sets A and B, define  $A \oplus B = (A \setminus B) \cup (B \setminus A)$ .
  - a. Let  $A = \{1,4,9,16\}$  and  $B = \{2,4,6,8,10,12,14,16\}$ . Find  $A \oplus B$ .
  - b. Using **set identities** (Theorem 6.2.2), prove that for all sets A and B,

$$A \oplus B = (A \cup B) \setminus (A \cap B).$$

- 8. Let A and B be set. Show that  $A \subseteq B$  if and only if  $A \cup B = B$ .
- 9. Consider the claim:

For all sets 
$$A, B, C$$
,  $(A \setminus B) \cup (B \setminus A) = (A \cup B) \setminus (A \cap B)$ .

Aiken wrote the following proof:

- 1.  $x \in (A \setminus B) \cup (B \setminus A)$
- 2.  $\Rightarrow x \in (A \setminus B) \text{ or } x \in (B \setminus A)$
- 3.  $\Rightarrow x \in A \text{ and } x \notin B \text{ or } x \in B \text{ and } x \notin A$
- 4.  $\Rightarrow x \in A \text{ or } x \in B \text{ and } x \notin A \text{ and } x \notin B$
- 5.  $\Rightarrow x \in (A \cup B)$  and  $x \in (\overline{A \cap B})$
- 6.  $\Rightarrow x \in (A \cup B) \cap (\overline{A \cap B})$
- 7.  $\Rightarrow x \in (A \cup B) \setminus (A \cap B)$ .

Therefore,  $(A \setminus B) \cup (B \setminus A) = (A \cup B) \setminus (A \cap B)$ .

- (a) What is wrong with Aiken's proof?
- (b) Prove or disprove the claim.

10. Hogwarts School of Witchcraft and Wizardry where Harry Potter attended was divided into 4 houses: Gryffindor, Hufflepuff, Ravenclaw and Slytherin.

Let HSWW be the set of students in the Hogwarts School of Witchcraft and Wizardry, and G, H, R and S be the sets of students in the 4 houses.

What are the necessary conditions for  $\{G, H, R, S\}$  to be a partition of HSWW? Explain in English and the write logical statements.



For questions 11 and 12, for sets  $A_m, A_{m+1}, \dots, A_n$ , we define the following:

$$\bigcup_{i=m}^{n} A_i = A_m \cup A_{m+1} \cup \dots \cup A_n$$

and

$$\bigcap_{i=m}^n A_i = A_m \cap A_{m+1} \cap \dots \cap A_n$$

11. Let  $A_i = \{x \in \mathbb{Z} : i \le x \le 2i\}$  for all integers i. Write  $A_{-2}$ ,  $\bigcup_{i=3}^5 A_i$  and  $\bigcap_{i=3}^5 A_i$  in set-roster notation, set-builder notation, and interval notation.

12. Let  $V_i = \left\{x \in \mathbb{R}: -\frac{1}{i} \le x \le \frac{1}{i}\right\} = \left[-\frac{1}{i}, \frac{1}{i}\right]$  for all positive integers i.

- a. What is  $\bigcup_{i=1}^4 V_i$ ?
- b. What is  $\bigcap_{i=1}^4 V_i$ ?
- c. What is  $\bigcup_{i=1}^{n} V_i$ , where n is a positive integer?
- d. What is  $\bigcap_{i=1}^{n} V_i$ , where n is a positive integer?
- e. Are  $V_1, V_2, V_3, \dots$  mutually disjoint?