

## 02—Traditional Logic

CS 3234: Logic and Formal Systems

Martin Henz and Aquinas Hobor

August 19, 2010

- 1 Categorical Terms and their Meaning
- 2 Propositions, Axioms, Lemmas, Proofs
- 3 Manipulating Terms and Propositions
- 4 Arguments and Syllogisms

- 1 Categorical Terms and their Meaning**
  - Origins and Goals
  - Form, not Content
  - Categorical Terms
  - Meaning through models
- 2 Propositions, Axioms, Lemmas, Proofs
- 3 Manipulating Terms and Propositions
- 4 Arguments and Syllogisms

# Traditional Logic

## Origins

Greek philosopher Aristotle (384–322 BCE) wrote treatise *Prior Analytics*; considered the earliest study in formal logic; widely accepted as the definite approach to deductive reasoning until the 19<sup>th</sup> century.

# Traditional Logic

## Origins

Greek philosopher Aristotle (384–322 BCE) wrote treatise *Prior Analytics*; considered the earliest study in formal logic; widely accepted as the definite approach to deductive reasoning until the 19<sup>th</sup> century.

## Goal

Express relationships between sets; allow reasoning about set membership

## Example 1

*All humans are mortal.*  
*All Greeks are humans.*  
*Therefore, all Greeks are mortal.*

## Example 1

*All humans are mortal.*  
*All Greeks are humans.*  
*Therefore, all Greeks are mortal.*

Makes “sense”, right?

## Example 1

*All humans are mortal.*  
*All Greeks are humans.*  
*Therefore, all Greeks are mortal.*

Makes “sense”, right?

Why?



## Example 2

*All cats are predators.*

*Some animals are cats.*

*Therefore, all animals are predators.*

## Example 2

*All cats are predators.*

*Some animals are cats.*

*Therefore, all animals are predators.*

Does not make sense!

## Example 2

*All cats are predators.*

*Some animals are cats.*

*Therefore, all animals are predators.*

Does not make sense!

Why not?

## Example 3

*All slack track systems are caterpillar systems.  
All Christie suspension systems are slack track systems.  
Therefore, all Christie suspension systems are caterpillar systems.*

## Example 3

*All slack track systems are caterpillar systems.  
All Christie suspension systems are slack track systems.  
Therefore, all Christie suspension systems are caterpillar systems.*

Makes sense, even if you do not know anything about suspension systems.

## Example 3

*All slack track systems are caterpillar systems.  
All Christie suspension systems are slack track systems.  
Therefore, all Christie suspension systems are caterpillar systems.*

Makes sense, even if you do not know anything about suspension systems.

### Form, not content

In logic, we are interested in the form of valid arguments, irrespective of any particular domain of discourse.

# Categorical Terms

Terms refer to sets

Term `animals` refers to the set of animals,  
term `brave` refers to the set of brave persons, etc

# Categorical Terms

## Terms refer to sets

Term `animals` refers to the set of animals,  
term `brave` refers to the set of brave persons, etc

## Terms

The set `Terms` contains all terms under consideration



# Categorical Terms

## Terms refer to sets

Term `animals` refers to the set of animals,  
term `brave` refers to the set of brave persons, etc

## Terms

The set `Terms` contains all terms under consideration

## Examples

`animals`  $\in$  `Terms`

`brave`  $\in$  `Terms`

# Models

## Meaning

A model  $\mathcal{M}$  fixes what elements we are interested in, and what we mean by each term

# Models

## Meaning

A model  $\mathcal{M}$  fixes what elements we are interested in, and what we mean by each term

## Fix universe

For a particular  $\mathcal{M}$ , the universe  $U^{\mathcal{M}}$  contains all elements that we are interested in.

# Models

## Meaning

A model  $\mathcal{M}$  fixes what elements we are interested in, and what we mean by each term

## Fix universe

For a particular  $\mathcal{M}$ , the universe  $U^{\mathcal{M}}$  contains all elements that we are interested in.

## Meaning of terms

For a particular  $\mathcal{M}$  and a particular term  $t$ , the meaning of  $t$  in  $\mathcal{M}$ , denoted  $t^{\mathcal{M}}$ , is a particular subset of  $U^{\mathcal{M}}$ .

## Example 1A

For our examples, we have

Term = {cats, humans, Greeks, ...}.

## Example 1A

For our examples, we have

Term = {cats, humans, Greeks, ...}.

First meaning  $\mathcal{M}$

- $U^{\mathcal{M}}$ : the set of all living beings,

## Example 1A

For our examples, we have

Term = {cats, humans, Greeks, ...}.

### First meaning $\mathcal{M}$

- $U^{\mathcal{M}}$ : the set of all living beings,
- $\text{cat}^{\mathcal{M}}$  the set of all cats,

## Example 1A

For our examples, we have

Term = {cats, humans, Greeks, ...}.

### First meaning $\mathcal{M}$

- $U^{\mathcal{M}}$ : the set of all living beings,
- $\text{cat}^{\mathcal{M}}$  the set of all cats,
- $\text{humans}^{\mathcal{M}}$  the set of all humans,
- ...



## Example 1B

Consider the same  $\text{Term} = \{\text{cats}, \text{humans}, \text{Greeks}, \dots\}$ .

## Example 1B

Consider the same  $\text{Term} = \{\text{cats}, \text{humans}, \text{Greeks}, \dots\}$ .

### Second meaning $\mathcal{M}'$

- $U^{\mathcal{M}'}$ : A set of 100 playing cards, *depicting* living beings,

## Example 1B

Consider the same  $\text{Term} = \{\text{cats}, \text{humans}, \text{Greeks}, \dots\}$ .

### Second meaning $\mathcal{M}'$

- $U^{\mathcal{M}'}$ : A set of 100 playing cards, *depicting* living beings,
- $\text{cat}^{\mathcal{M}'}$ : all cards that show cats,

## Example 1B

Consider the same  $\text{Term} = \{\text{cats}, \text{humans}, \text{Greeks}, \dots\}$ .

### Second meaning $\mathcal{M}'$

- $U^{\mathcal{M}'}$ : A set of 100 playing cards, *depicting* living beings,
- $\text{cat}^{\mathcal{M}'}$ : all cards that show cats,
- $\text{humans}^{\mathcal{M}'}$ : all cards that show humans,
- ...

## Example 2A

Consider the following set of terms:

Term = {even, odd, belowfour}

## Example 2A

Consider the following set of terms:

Term = {even, odd, belowfour}

First meaning  $\mathcal{M}_1$

- $U^{\mathcal{M}_1} = \mathbb{N}$ ,

## Example 2A

Consider the following set of terms:

Term = {even, odd, belowfour}

First meaning  $\mathcal{M}_1$

- $U^{\mathcal{M}_1} = \mathbb{N}$ ,
- $\text{even}^{\mathcal{M}_1} = \{0, 2, 4, \dots\}$ ,

## Example 2A

Consider the following set of terms:

Term = {even, odd, belowfour}

### First meaning $\mathcal{M}_1$

- $U^{\mathcal{M}_1} = \mathbb{N}$ ,
- $\text{even}^{\mathcal{M}_1} = \{0, 2, 4, \dots\}$ ,
- $\text{odd}^{\mathcal{M}_1} = \{1, 3, 5, \dots\}$ , and



## Example 2A

Consider the following set of terms:

Term = {even, odd, belowfour}

### First meaning $\mathcal{M}_1$

- $U^{\mathcal{M}_1} = \mathbb{N}$ ,
- $\text{even}^{\mathcal{M}_1} = \{0, 2, 4, \dots\}$ ,
- $\text{odd}^{\mathcal{M}_1} = \{1, 3, 5, \dots\}$ , and
- $\text{belowfour}^{\mathcal{M}_1} = \{0, 1, 2, 3\}$ .

## Example 2B

Consider the same  $\text{Term} = \{\text{even}, \text{odd}, \text{belowfour}\}$

## Example 2B

Consider the same  $\text{Term} = \{\text{even}, \text{odd}, \text{belowfour}\}$

Second meaning  $\mathcal{M}_2$

- $U^{\mathcal{M}_2} = \{a, b, c, \dots, z\}$ ,

## Example 2B

Consider the same  $\text{Term} = \{\text{even}, \text{odd}, \text{belowfour}\}$

### Second meaning $\mathcal{M}_2$

- $U^{\mathcal{M}_2} = \{a, b, c, \dots, z\}$ ,
- $\text{even}^{\mathcal{M}_2} = \{a, e, i, o, u\}$ ,

## Example 2B

Consider the same  $\text{Term} = \{\text{even}, \text{odd}, \text{belowfour}\}$

### Second meaning $\mathcal{M}_2$

- $U^{\mathcal{M}_2} = \{a, b, c, \dots, z\}$ ,
- $\text{even}^{\mathcal{M}_2} = \{a, e, i, o, u\}$ ,
- $\text{odd}^{\mathcal{M}_2} = \{b, c, d, \dots\}$ , and

## Example 2B

Consider the same  $\text{Term} = \{\text{even}, \text{odd}, \text{belowfour}\}$

### Second meaning $\mathcal{M}_2$

- $U^{\mathcal{M}_2} = \{a, b, c, \dots, z\}$ ,
- $\text{even}^{\mathcal{M}_2} = \{a, e, i, o, u\}$ ,
- $\text{odd}^{\mathcal{M}_2} = \{b, c, d, \dots\}$ , and
- $\text{belowfour}^{\mathcal{M}_2} = \emptyset$ .

- 1 Categorical Terms and their Meaning
- 2 Propositions, Axioms, Lemmas, Proofs**
  - Categorical Propositions
  - Semantics of Propositions
  - Axioms, Lemmas and Proofs
- 3 Manipulating Terms and Propositions
- 4 Arguments and Syllogisms

# Categorical Propositions

*All cats are predators*

expresses a relationship between the terms `cats` (subject) and `predators` (object).



# Categorical Propositions

*All cats are predators*

expresses a relationship between the terms `cats` (subject) and `predators` (object).

## Intended *meaning*

Every thing that is included in the class represented by `cats` is also included in the class represented by `predators`.

## Four Kinds of Categorical Propositions

		Quantity	
		universal	particular
Quality	affirmative	All $t_1$ are $t_2$	Some $t_1$ are $t_2$
	negative	No $t_1$ are $t_2$	Some $t_1$ are not $t_2$

## Four Kinds of Categorical Propositions

		Quantity	
		universal	particular
Quality	affirmative	All $t_1$ are $t_2$	Some $t_1$ are $t_2$
	negative	No $t_1$ are $t_2$	Some $t_1$ are not $t_2$

### Example


Some cats are not brave is a *particular, negative* proposition.

## Meaning of Universal Affirmative Propositions

In a particular model  $\mathcal{M}$ , All Greeks are mortal means that  $\text{Greeks}^{\mathcal{M}}$  is a subset of  $\text{mortal}^{\mathcal{M}}$

## Meaning of Universal Affirmative Propositions

In a particular model  $\mathcal{M}$ , All Greeks are mortal means that  $\text{Greeks}^{\mathcal{M}}$  is a subset of  $\text{mortal}^{\mathcal{M}}$



## More formally...

$$(\text{All } \textit{subject} \text{ are } \textit{object})^{\mathcal{M}} = \begin{cases} T & \text{if } \textit{subject}^{\mathcal{M}} \subseteq \textit{object}^{\mathcal{M}}, \\ F & \text{otherwise} \end{cases}$$


Here  $T$  and  $F$  represent the logical truth values *true* and *false*, respectively.

## Meaning of Universal Negative Propositions

In a particular model  $\mathcal{M}$ , No Greeks are cats means that the intersection of  $\text{Greeks}^{\mathcal{M}}$  and of  $\text{cats}^{\mathcal{M}}$  is empty.

## Meaning of Universal Negative Propositions

In a particular model  $\mathcal{M}$ , No Greeks are cats means that the intersection of  $\text{Greeks}^{\mathcal{M}}$  and of  $\text{cats}^{\mathcal{M}}$  is empty.





## More formally...


$$(\text{No } \textit{subject} \text{ are } \textit{object})^{\mathcal{M}} = \begin{cases} T & \text{if } \textit{subject}^{\mathcal{M}} \cap \textit{object}^{\mathcal{M}} = \emptyset, \\ F & \text{otherwise} \end{cases}$$

## Meaning of Particular Affirmative Propositions

In a particular model  $\mathcal{M}$ , Some humans are Greeks means that the intersection of humans <sup>$\mathcal{M}$</sup>  and of Greeks <sup>$\mathcal{M}$</sup>  is not empty.

## Meaning of Particular Affirmative Propositions

In a particular model  $\mathcal{M}$ , Some humans are Greeks means that the intersection of  $\text{humans}^{\mathcal{M}}$  and of  $\text{Greeks}^{\mathcal{M}}$  is not empty.



## More formally...


$$(\text{Some } \mathit{subject} \text{ are } \mathit{object})^{\mathcal{M}} = \begin{cases} T & \text{if } \mathit{subject}^{\mathcal{M}} \cap \mathit{object}^{\mathcal{M}} \neq \emptyset, \\ F & \text{otherwise} \end{cases}$$

## Meaning of Particular Negative Propositions

In a particular model  $\mathcal{M}$ , Some Greeks are not vegetarians means that the difference of  $\text{Greeks}^{\mathcal{M}}$  and  $\text{vegetarians}^{\mathcal{M}}$  is not empty.

## Meaning of Particular Negative Propositions

In a particular model  $\mathcal{M}$ , Some Greeks are not vegetarians means that the difference of  $\text{Greeks}^{\mathcal{M}}$  and  $\text{vegetarians}^{\mathcal{M}}$  is not empty.



## More formally...

$$(\text{Some } \mathit{subject} \text{ are not } \mathit{object})^{\mathcal{M}} = \begin{cases} T & \text{if } \mathit{subject}^{\mathcal{M}} / \mathit{object}^{\mathcal{M}} \neq \emptyset, \\ F & \text{otherwise} \end{cases}$$

# Axioms

*Axioms* are propositions that are assumed to hold.



# Axioms

*Axioms* are propositions that are assumed to hold.

Axiom (HM)

*The proposition All humans are mortal holds.*

# Axioms

*Axioms* are propositions that are assumed to hold.

## Axiom (HM)

*The proposition All humans are mortal holds.*

## Axiom (GH)

*The proposition All Greeks are humans holds.*

## Graphical Notation

—————[HumansMortality]  
All humans are mortal

# Lemmas

Lemmas are affirmations that follow from all known facts.

# Lemmas

Lemmas are affirmations that follow from all known facts.

## Proof obligation

A lemma must be followed by a proof that demonstrates how it follows from known facts.

## Trivial Example of Proof

### Lemma

*The proposition All humans are mortal holds.*

## Trivial Example of Proof

### Lemma

*The proposition All humans are mortal holds.*

### Proof.

————— [HM]

All humans are mortal



## Unusual Models

We can choose any model for our terms, also “unusual” ones.



## Unusual Models

We can choose any model for our terms, also “unusual” ones.

### Example

$$U^{\mathcal{M}} = \{0, 1\}, \text{humans}^{\mathcal{M}} = \{0\}, \text{mortal}^{\mathcal{M}} = \{1\}$$

## Unusual Models

We can choose any model for our terms, also “unusual” ones.

### Example

$$U^{\mathcal{M}} = \{0, 1\}, \text{humans}^{\mathcal{M}} = \{0\}, \text{mortal}^{\mathcal{M}} = \{1\}$$

Here

All humans are mortal

does not hold.

# Asserting Axioms

## Purpose of axioms

By asserting an axiom  $A$ , we are focusing our attention to only those models  $\mathcal{M}$  for which  $A^{\mathcal{M}} = T$ .

## Asserting Axioms

### Purpose of axioms

By asserting an axiom  $A$ , we are focusing our attention to only those models  $\mathcal{M}$  for which  $A^{\mathcal{M}} = T$ .

### Consequence

The lemmas that we prove while utilizing an axiom only hold in the models in which the axiom holds.

# Asserting Axioms

## Purpose of axioms

By asserting an axiom  $A$ , we are focusing our attention to only those models  $\mathcal{M}$  for which  $A^{\mathcal{M}} = T$ .

## Consequence

The lemmas that we prove while utilizing an axiom only hold in the models in which the axiom holds.

## Validity

A proposition is called *valid*, if it holds in all models.

- 1 Categorical Terms and their Meaning
- 2 Propositions, Axioms, Lemmas, Proofs
- 3 Manipulating Terms and Propositions**
  - Complement
  - Conversion
  - Contraposition
  - Obversion
  - Combinations
- 4 Arguments and Syllogisms

# Complement

We allow ourselves to put `non` in front of a term.

# Complement

We allow ourselves to put `non` in front of a term.

## Meaning of complement

In a model  $\mathcal{M}$ , the meaning of `non`  $t$  is the complement of the meaning of  $t$



# Complement

We allow ourselves to put `non` in front of a term.

## Meaning of complement

In a model  $\mathcal{M}$ , the meaning of `non`  $t$  is the complement of the meaning of  $t$

## More formally

In a model  $\mathcal{M}$ ,  $(\text{non } t)^{\mathcal{M}} = U^{\mathcal{M}}/t^{\mathcal{M}}$

## Double Complement

### Axiom (NonNon)

*For any term  $t$ , the term  $\text{non non } t$  is considered equal to  $t$ .*

## Double Complement

### Axiom (NonNon)

*For any term  $t$ , the term  $\text{non non } t$  is considered equal to  $t$ .*

$$\begin{array}{r} \dots t \dots \\ \hline \dots \text{non non } t \dots \\ \hline \dots \text{non non } t \dots \\ \hline \dots t \dots \end{array} \begin{array}{l} \text{[NNI]} \\ \\ \text{[NNE]} \end{array}$$

## Rule Schema

$$\frac{\dots t \dots}{\dots \text{non non } t \dots} \text{[NNI]}$$

is a rule schema. An instance is:

$$\frac{\text{Some } t_1 \text{ are } t_2}{\text{Some non non } t_1 \text{ are } t_2}$$

## Definitions

We allow ourselves to state definitions that may be convenient. Definitions are similar to axioms; they fix the properties of a particular item for the purpose of a discussion.

## Definitions

We allow ourselves to state definitions that may be convenient. Definitions are similar to axioms; they fix the properties of a particular item for the purpose of a discussion.

### Definition (ImmDef)

The term `immortal` is considered equal to the term `non mortal`.

## Writing a Proof Graphically

### Lemma

*The proposition All humans are non immortal holds.*

## Writing a Proof Graphically

### Lemma

*The proposition All humans are non immortal holds.*

### Proof.

\_\_\_\_\_ [HM]

All humans are mortal

\_\_\_\_\_ [NNI]

All humans are non non mortal

\_\_\_\_\_ [ImmDef]

All humans are non immortal



## Writing a Text-based Proof

### Lemma

*The proposition All humans are non immortal holds.*

## Writing a Text-based Proof

### Lemma

*The proposition All humans are non immortal holds.*

### Proof.

- |   |                                  |          |
|---|----------------------------------|----------|
| 1 | All humans are mortal            | HM       |
| 2 | All humans are non non<br>mortal | NNI 1    |
| 3 | All humans are non immortal      | ImmDef 2 |



## Conversion switches subject and object

### Definition (ConvDef)

For all terms  $t_1$  and  $t_2$ , we define

$$\text{convert}(\text{All } t_1 \text{ are } t_2) = \text{All } t_2 \text{ are } t_1$$

$$\text{convert}(\text{Some } t_1 \text{ are } t_2) = \text{Some } t_2 \text{ are } t_1$$

$$\text{convert}(\text{No } t_1 \text{ are } t_2) = \text{No } t_2 \text{ are } t_1$$

$$\text{convert}(\text{Some } t_1 \text{ are not } t_2) = \text{Some } t_2 \text{ are not } t_1$$

## Which Conversions Hold?

If

All Greeks are humans

holds in a model, then does

All humans are Greeks

hold?

## Valid Conversions

### Axiom (ConvE1)

If, for some terms  $t_1$  and  $t_2$ , the proposition

$$\text{convert}(\text{Some } t_1 \text{ are } t_2)$$

holds, then the proposition

$$\text{Some } t_1 \text{ are } t_2$$

also holds.

## Valid Conversions

### Axiom (ConvE2)

*If, for some terms  $t_1$  and  $t_2$ , the proposition*

*$convert(No\ t_1\ are\ t_2)$*

*holds, then the proposition*

*$No\ t_1\ are\ t_2$*

*also holds.*

## In Graphical Notation

In graphical notation, two rules correspond to the two cases.

$$\frac{\textit{convert}(\text{Some } t_1 \text{ are } t_2)}{\text{Some } t_1 \text{ are } t_2} \text{ [ConvE}_1\text{]}$$

$$\frac{\textit{convert}(\text{No } t_1 \text{ are } t_2)}{\text{No } t_1 \text{ are } t_2} \text{ [ConvE}_2\text{]}$$

## Example

### Axiom (AC)

*The proposition Some animals are cats holds.*



## Example

### Axiom (AC)

*The proposition Some animals are cats holds.*

### Lemma

*The proposition Some cats are animals holds.*

# Proof

—————[AC]

Some animals are cats

—————[ConvDef]

convert(Some cats are animals)

—————[ConvE<sub>1</sub>]

Some cats are animals

## Example (text-based proof)

### Proof.

- |   |                                   |                      |
|---|-----------------------------------|----------------------|
| 1 | Some animals are cats             | AC                   |
| 2 | convert(Some cats are<br>animals) | ConvDef 1            |
| 3 | Some cats are animals             | ConvE <sub>1</sub> 2 |



## Contraposition switches and complements

### Definition (ContrDef)

For all terms  $t_1$  and  $t_2$ , we define

$$\begin{aligned} & \text{contrapose}(\text{All } t_1 \text{ are } t_2) \\ = & \text{All non } t_2 \text{ are non } t_1 \\ & \text{contrapose}(\text{Some } t_1 \text{ are } t_2) \\ = & \text{Some non } t_2 \text{ are non } t_1 \\ & \text{contrapose}(\text{No } t_1 \text{ are } t_2) \\ = & \text{No non } t_2 \text{ are non } t_1 \\ & \text{contrapose}(\text{Some } t_1 \text{ are not } t_2) \\ = & \text{Some non } t_2 \text{ are not non } t_1 \end{aligned}$$

## For which propositions is contraposition valid?

$$\frac{\textit{contrapose}(\text{All } t_1 \text{ are } t_2)}{\text{All } t_1 \text{ are } t_2} \text{ [ContrE}_1\text{]}$$

## For which propositions is contraposition valid?

$$\frac{\textit{contrapose}(\text{All } t_1 \text{ are } t_2)}{\text{All } t_1 \text{ are } t_2} \text{ [ContrE}_1\text{]}$$

$$\frac{\textit{contrapose}(\text{Some } t_1 \text{ are not } t_2)}{\text{Some } t_1 \text{ are not } t_2} \text{ [ContrE}_2\text{]}$$

## Obversion switches quality and complements object

### Definition (ObvDef)

For all terms  $t_1$  and  $t_2$ , we define

$$\text{obvert}(\text{All } t_1 \text{ are } t_2) = \text{No } t_1 \text{ are non } t_2$$

$$\text{obvert}(\text{Some } t_1 \text{ are } t_2) = \text{Some } t_1 \text{ are not non } t_2$$

$$\text{obvert}(\text{No } t_1 \text{ are } t_2) = \text{All } t_1 \text{ are non } t_2$$

$$\text{obvert}(\text{Some } t_1 \text{ are not } t_2) = \text{Some } t_1 \text{ are non } t_2$$

## Examples

Obversion switches quality and complements object



## Examples

Obversion switches quality and complements object

### Example 1

obvert (All Greeks are humans)  
= No Greeks are non humans

## Examples

Obversion switches quality and complements object

### Example 1

```
obvert(All Greeks are humans)
= No Greeks are non humans
```

### Example 2

```
obvert(Some animals are cats)
= Some animals are not non cats
```

## Validity of Obversion

Obversion is valid for all kinds of propositions.

### Axiom (ObvE)

*If, for some proposition  $p$*

$$\text{obvert}(p)$$

*holds, then the proposition  $p$  also holds.*

## Validity of Obversion

Obversion is valid for all kinds of propositions.

### Axiom (ObvE)

*If, for some proposition  $p$*

*$obvert(p)$*

*holds, then the proposition  $p$  also holds.*

$$\frac{obvert(p)}{p} \text{ [ObvE]}$$

## Example

### Axiom (SHV)

*The proposition Some humans are vegans holds.*

## Example

### Axiom (SHV)

*The proposition Some humans are vegans holds.*

### Lemma (NNVeg)

*The proposition Some humans are not non vegans holds.*

# Proof

\_\_\_\_\_ [SHV]  
Some humans are vegans

\_\_\_\_\_ [NNI]  
Some humans are non non vegans

\_\_\_\_\_ [ObvDef]  
obvert (Some humans are not non vegans)

\_\_\_\_\_ [C]  
Some humans are not non vegans

## Proof (text-based)

### Proof.

- |   |  |          |
|---|--|----------|
| 1 | Some humans are vegans                     | SHV      |
| 2 | Some humans are non non<br>vegans          | NNI 1    |
| 3 | obvert (Some humans are not<br>non vegans) | ObvDef 2 |
| 4 | Some humans are not non<br>vegans          | ObvE 3   |





## Another Lemma

### Lemma (SomeNon)

*For all terms  $t_1$  and  $t_2$ , if the proposition Some non  $t_1$  are non  $t_2$  holds, then the proposition Some non  $t_2$  are not  $t_1$  also holds.*

## Another Lemma

### Lemma (SomeNon)

*For all terms  $t_1$  and  $t_2$ , if the proposition Some non  $t_1$  are non  $t_2$  holds, then the proposition Some non  $t_2$  are not  $t_1$  also holds.*

A lemma of the form “If  $p_1$  then  $p_2$ ” is valid, if in every model in which the proposition  $p_1$  holds, the proposition  $p_2$  also holds.

# Proof

## Lemma (SomeNon)

*For all terms  $t_1$  and  $t_2$ , if the proposition Some non  $t_1$  are non  $t_2$  holds, then the proposition Some non  $t_2$  are not  $t_1$  also holds.*

# Proof

## Lemma (SomeNon)

*For all terms  $t_1$  and  $t_2$ , if the proposition Some non  $t_1$  are non  $t_2$  holds, then the proposition Some non  $t_2$  are not  $t_1$  also holds.*

## Proof.

1	Some non $t_1$ are non $t_2$	premise
2	convert(Some non $t_2$ are non $t_1$ )	ConvDef 1
3	Some non $t_2$ are non $t_1$	ConvE <sub>1</sub> 2
4	obvert(Some non $t_2$ are not $t_1$ )	ObvDef 3
5	Some non $t_2$ are not $t_1$	ObvE 4



## “iff” means “if and only if”

### Lemma (AllNonNon)

*For any terms  $t_1$  and  $t_2$ , the proposition All non  $t_1$  are non  $t_2$  holds iff the proposition All  $t_2$  are  $t_1$  holds.*

## “iff” means “if and only if”

### Lemma (AllNonNon)

*For any terms  $t_1$  and  $t_2$ , the proposition All non  $t_1$  are non  $t_2$  holds iff the proposition All  $t_2$  are  $t_1$  holds.*

All non  $t_1$  are non  $t_2$

---

All  $t_2$  are  $t_1$

All  $t_2$  are  $t_1$

---

All non  $t_1$  are non  $t_2$

- 1 Categorical Terms and their Meaning
- 2 Propositions, Axioms, Lemmas, Proofs
- 3 Manipulating Terms and Propositions
- 4 Arguments and Syllogisms**
  - Arguments
  - Syllogisms
  - Barbara
  - Fun With Barbara

# Argument

An argument has the form

If *premises* then *conclusion*



# Argument

An argument has the form

If *premises* then *conclusion*

Sometimes also

*premises* therefore *conclusion*

## Argument

An argument has the form

If *premises* then *conclusion*

Sometimes also

*premises* therefore *conclusion*

Example:

### Lemma (SomeNon)

*For all terms  $t_1$  and  $t_2$ , if the proposition Some non  $t_1$  are non  $t_2$  holds, then the proposition Some non  $t_2$  are not  $t_1$  also holds.*

# Syllogisms

A syllogism is an argument with two premises, in which three different terms occur, and in which every term occurs twice, but never twice in the same proposition.

## Example

*All cats are predators.*

*Some animals are cats.*

*Therefore, all animals are predators.*

# Barbara

## Axiom (B)

*For all terms minor, middle, and major, if All middle are major holds, and All minor are middle holds, then All minor are major also holds.*


All *middle* are *major*      All *minor* are *middle*

---

[B]

All *minor* are *major*

## Why is Barbara valid?



## Example

### Lemma

*The proposition All Greeks are mortal holds.*

## Example

### Lemma

*The proposition All Greeks are mortal holds.*

### Proof.

1	All Greeks are humans	GH
2	All humans are mortal	HM
3	All Greeks are mortal	B 1,2



## Officers as Poultry?

### Premises

- No ducks waltz.
- No officers ever decline to waltz.
- All my poultry are ducks.



## Officers as Poultry?

### Premises

- No ducks waltz.
- No officers ever decline to waltz.
- All my poultry are ducks.

### Conclusion

No officers are my poultry.

## Formulation in Term Logic

### Lemma (No-Officers-Are-My-Poultry)

*If*

- *No ducks are things-that-waltz holds,*
- *No officers are non things-that-waltz holds,*  
*and*
- *All my-poultry are ducks holds,*

*then No officers are my-poultry also holds.*

## Proof

1	No officers are non things-that-waltz	premise
2	obvert(All officers are things-that-waltz)	ObvDef 1
3	All officers are things-that-waltz)	ObvE 2
4	No ducks are things-that-waltz)	premise
5	convert(No things-that-waltz are ducks)	ConvDef 4
6	No things-that-waltz are ducks	ConvE <sub>2</sub> 5

## Proof (continued)

- |    |   |          |
|----|---|----------|
| 7  | No things-that-waltz are non non ducks      | NNI 6    |
| 8  | obvert(All things-that-waltz are non ducks) | ObvDef 7 |
| 9  | All things-that-waltz are non ducks         | ObvE 8   |
| 10 | All my-poultry are ducks                    | premise  |
| 11 | All my-poultry are non non ducks            | NNI 10   |
| 12 | All non non my-poultry are non non ducks    | NNI 11   |

## Proof (continued)

- |    |   |                        |
|----|---|------------------------|
| 13 | contrapose (All non ducks are non my-poultry) | ContrDef 12            |
| 14 | All non ducks are non my-poultry              | ContrE <sub>1</sub> 13 |
| 15 | All things-that-waltz are non my-poultry      | B 9,14                 |
| 16 | All officers are non my-poultry               | B 3,15                 |
| 17 | obvert (No officers are my-poultry)           | ObvDef 16              |
| 18 | No officers are my-poultry                    | ObvE 17                |



## Admin

- Assignment 1: out on module homepage; due 26/8, 11:00am
- Coq Homework 1: out on module homepage; due 27/8, 9:30pm
- Monday, Wednesday: Office hours
- Tuesday: Tutorials (clarification of assignment)
- Wednesday: Labs (Coq Homework 1; start *earlier!*)