

Advanced Automata Theory 3

Combining Languages

Frank Stephan


Department of Computer Science

Department of Mathematics

National University of Singapore

fstephan@comp.nus.edu.sg

Repetition 1



Repetition 2

Theorem

Let L be any language (subset of Σ^*).

L is generated by a regular grammar \Leftrightarrow

L is generated by a regular expression \Leftrightarrow

L is recognised by a dfa \Leftrightarrow

L is recognised by an nfa \Rightarrow

L satisfies the Block Pumping Lemma \Rightarrow

L satisfies the Pumping Lemma with bound \Rightarrow

L satisfies the Pumping Lemma without bound.

The last three \Rightarrow cannot be inverted.

$\{w : w \text{ does not start with } 010 \text{ or } w \text{ has length } n^2 \text{ for some } n\}$ satisfies the Pumping Lemma with bound but not the Block Pumping Lemma.

$\{w : |w| \text{ is not a power of } 2\}$ satisfies the Pumping Lemma without bound but not the one with bound.

Repetition 3

If L is a regular set then there is a constant k such that for all strings u_0, u_1, \dots, u_k with u_1, u_2, \dots, u_{k-1} not empty and $u_0 u_1 \dots u_k \in L$ there are i, j with $0 < i < j \leq k$ and

$$(u_0 u_1 \dots u_{i-1}) \cdot (u_i u_{i+1} \dots u_{j-1})^* \cdot (u_j u_{j+1} \dots u_k) \subseteq L.$$

So if one splits a word in L into $k + 1$ parts then one can select some parts in the middle of the word which can be pumped.

Example: $\{1, 2\}^* \cdot \{0\} \cdot \{1, 2\}^* \cdot \{0\} \cdot \{1, 2\}^*$ satisfies the Block Pumping Lemma with $k = 4$; splitting a word in this language into $u_0 u_1 u_2 u_3 u_4$, either u_1 or u_2 or u_3 does not contain 0 and can be pumped.

Repetition 4

Any nfa with n states can be replaced by a complete dfa with 2^n states. Alternatively one can use an incomplete dfa, which might reject input due to δ being undefined on some pair (q, a) ; such a dfa can be made using $2^n - 1$ states.

The bound 2^n for the size of the dfa is tight (except for the case that the alphabet is unary, say $\Sigma = \{0\}$).

Product Automata

Let $(Q_1, \Sigma, \delta_1, s_1, F_1)$ and $(Q_2, \Sigma, \delta_2, s_2, F_2)$ be dfas which recognise L_1 and L_2 , respectively.

Consider $(Q_1 \times Q_2, \Sigma, \delta_1 \times \delta_2, (s_1, s_2), F)$ with $(\delta_1 \times \delta_2)((q_1, q_2), a) = (\delta_1(q_1, a), \delta_2(q_2, a))$. This automaton is called a **product automaton** and one can choose F such that it recognises the union or intersection or difference of the respective languages.

Union: $F = F_1 \times Q_2 \cup Q_1 \times F_2$;


Intersection: $F = F_1 \times F_2 = F_1 \times Q_2 \cap Q_1 \times F_2$;

Difference: $F = F_1 \times (Q_2 - F_2)$;

Symmetric Difference: $F = F_1 \times (Q_2 - F_2) \cup (Q_1 - F_1) \times F_2$.


Example

Let the first automaton recognise the language of words in $\{0, 1, 2\}$ with an even number of **1**s and the second automaton with an even number of **2**s. Both automata have the accepting and starting state **s** and a rejection state **t**; they change between **s** and **t** whenever they see **1** or **2**, respectively. Example of a product automaton.



Kleene Star

Assume $(Q, \Sigma, \delta, s, F)$ is an nfa recognising L . Now L^* is recognised by $(Q \cup \{s'\}, \Sigma, \Delta, s', \{s'\})$ where $\Delta = \delta \cup \{(s', a, p) : (s, a, p) \in \delta\} \cup \{(p, a, s) : (p, a, q) \in \delta \text{ for some } q \in F\} \cup \{(s', a, s') : a \in L\}$.




Concatenation

Assume $(Q_1, \Sigma, \delta_1, s_1, F_1)$ and $(Q_2, \Sigma, \delta_2, s_2, F_2)$ are nfas recognising L_1 and L_2 with $Q_1 \cap Q_2 = \emptyset$ and assume $\varepsilon \notin L_2$. Now $(Q_1 \cup Q_2, \Sigma, \delta, s_1, F_2)$ recognises $L_1 \cdot L_2$ where $(p, a, q) \in \delta$ whenever $(p, a, q) \in \delta_1 \cup \delta_2$ or $(p \in F_1$ and $(s_2, a, q) \in \delta_2)$.

If L_2 contains ε then one can consider the union of L_1 and $L_1 \cdot (L_2 - \{\varepsilon\})$.

Example

$L_1 \cdot L_2$ with $L_1 = \{00, 11\}^*$ and $L_2 = 2^*1^+0^+$.



Exercise 3.3

The previous slides give upper bounds on the size of the dfa for a union, intersection, difference and symmetric difference as n^2 states, provided that the original two dfas have at most n states.

Give the corresponding bounds for nfas: If L and H are recognised by nfas having at most n states each, how many states does one need at most for an nfa recognising (a) the union $L \cup H$, (b) the intersection $L \cap H$, (c) the difference $L - H$ and (d) the symmetric difference $(L - H) \cup (H - L)$?

Give the bounds in terms of “linear”, “quadratic” and “exponential”. Explain the bounds.

Exercises Combining DFAs and NFAs

Exercise 3.4

Let $\Sigma = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$. Construct a (not necessarily complete) dfa recognising the language $\Sigma \cdot \{aa : a \in \Sigma\}^* \cap \{aaaaa : a \in \Sigma\}^*$. It is not needed to give a full table for the dfa, but a general schema and an explanation how it works.

Exercise 3.5

Make an nfa for the intersection of the following languages:

$\{0, 1, 2\}^* \cdot \{001\} \cdot \{0, 1, 2\}^* \cdot \{001\} \cdot \{0, 1, 2\}^*$;
 $\{001, 0001, 2\}^*$; $\{0, 1, 2\}^* \cdot \{00120001\} \cdot \{0, 1, 2\}^*$.

Exercise 3.6

Make an nfa for the union $L_0 \cup L_1 \cup L_2$ with

$L_a = \{0, 1, 2\}^* \cdot \{aa\} \cdot \{0, 1, 2\}^* \cdot \{aa\} \cdot \{0, 1, 2\}^*$ for $a \in \{0, 1, 2\}$.

Exercise 3.7

Consider two context-free grammars with terminals Σ , disjoint non-terminals N_1 and N_2 , start symbols $S_1 \in N_1$ and $S_2 \in N_2$ and rule sets P_1 and P_2 which generate L and H , respectively. Explain how to form from these a new context-free grammar for

- (a) $L \cup H$,
- (b) $L \cdot H$ and
- (c) L^* .

Write down the context-free grammars for $\{0^n 1^{2n} : n \in \mathbb{N}\}$ and $\{0^n 1^{3n} : n \in \mathbb{N}\}$ and form the grammars for the union, concatenation and star explicitly.

Example 3.8

The language $\{0\}^* \cdot \{1^n 2^n : n \in \mathbb{N}\}$ is context-free.

Grammar $(\{S, T\}, \{0, 1, 2\}, P, S)$ with P be given by $S \rightarrow 0S|T|\varepsilon$ and $T \rightarrow 1T2|\varepsilon$.

The language $\{0^n 1^n : n \in \mathbb{N}\} \cdot 2^*$ is context-free.

$L = \{0^n 1^n 2^n : n \in \mathbb{N}\}$ is not context-free but the intersection of the two above.

The complement of L is the union of $\{0^n 1^m 2^k : n < k\}$, $\{0^n 1^m 2^k : n > k\}$, $\{0^n 1^m 2^k : m < k\}$, $\{0^n 1^m 2^k : m > k\}$, $\{0^n 1^m 2^k : n < m\}$, $\{0^n 1^m 2^k : n > m\}$ and $\{0, 1, 2\}^* \cdot \{10, 20, 21\} \cdot \{0, 1, 2\}^*$.

Each of these languages is context-free. Grammar for the first of them: $S \rightarrow 0S2|S2|T2, T \rightarrow 1T|\varepsilon$. The union is also context-free. Hence L has a context-free complement.

Context-Free Intersects Regular

Theorem 3.9.

If \mathbf{L} is context-free and \mathbf{H} is regular then $\mathbf{L} \cap \mathbf{H}$ is context-free.

Construction.

Let $(\mathbf{N}, \Sigma, \mathbf{P}, \mathbf{S})$ be a context-free grammar generating \mathbf{L} with every rule being either $\mathbf{A} \rightarrow \mathbf{w}$ or $\mathbf{A} \rightarrow \mathbf{BC}$ with $\mathbf{A}, \mathbf{B}, \mathbf{C} \in \mathbf{N}$ and $\mathbf{w} \in \Sigma^*$.

Let $(\mathbf{Q}, \Sigma, \delta, \mathbf{s}, \mathbf{F})$ be a dfa recognising \mathbf{H} .

Let $\mathbf{S}' \notin \mathbf{Q} \times \mathbf{N} \times \mathbf{Q}$ and make the following new grammar $(\mathbf{Q} \times \mathbf{N} \times \mathbf{Q} \cup \{\mathbf{S}'\}, \Sigma, \mathbf{R}, \mathbf{S}')$ with rules \mathbf{R} :

$\mathbf{S}' \rightarrow (\mathbf{s}, \mathbf{S}, \mathbf{q})$ for all $\mathbf{q} \in \mathbf{F}$;

$(\mathbf{p}, \mathbf{A}, \mathbf{q}) \rightarrow (\mathbf{p}, \mathbf{B}, \mathbf{r})(\mathbf{r}, \mathbf{C}, \mathbf{q})$ for all rules $\mathbf{A} \rightarrow \mathbf{BC}$ in \mathbf{P} and all $\mathbf{p}, \mathbf{q}, \mathbf{r} \in \mathbf{Q}$;

$(\mathbf{p}, \mathbf{A}, \mathbf{q}) \rightarrow \mathbf{w}$ for all rules $\mathbf{A} \rightarrow \mathbf{w}$ in \mathbf{P} with $\delta(\mathbf{p}, \mathbf{w}) = \mathbf{q}$.

Exercises 3.10 and 3.11

Construct context-free grammars for the following intersections between the context-free set L of all words which contain as many 0 as 1 and a regular set. Here a grammar for L is

$$(\{S\}, \{0, 1\}, \{S \rightarrow SS | \varepsilon | 0S1 | 1S0\}, S).$$

Exercise 3.10

Give a context-free grammar for $L \cap \{00 \cdot 1^+\}^*$;

Exercise 3.11

Give a context-free grammar for $L \cap 0^*1^*0^*1^*$.

Context-Sensitive and Concatenation

Let L_1 and L_2 be context-sensitive languages not containing ε . Let (N_1, Σ, P_1, S_1) and (N_2, Σ, P_2, S_2) be two context-sensitive grammars generating L_1 and L_2 , respectively, where $N_1 \cap N_2 = \emptyset$ and where each rule $l \rightarrow r$ satisfies $|l| \leq |r|$ and $l \in N_e^+$ for the respective $e \in \{1, 2\}$. Let $S \notin N_1 \cup N_2 \cup \Sigma$.

Now $(N_1 \cup N_2 \cup \{S\}, \Sigma, P_1 \cup P_2 \cup \{S \rightarrow S_1 S_2\}, S)$ generates $L_1 \cdot L_2$.

If $v \in L_1$ and $w \in L_2$ then $S \Rightarrow S_1 S_2 \Rightarrow^* v S_2 \Rightarrow^* vw$.

Furthermore, the first rule has to be $S \Rightarrow S_1 S_2$ and from then onwards, each rule has on the left side either $l \in N_1^+$ so that it applies to the part generated from S_1 or it has in the left side $l \in N_2^+$ so that l is in the part of the word generated from S_2 . Hence every intermediate word z in the derivation is of the form $xy = z$ with $S_1 \Rightarrow^* x$ and $S_2 \Rightarrow^* y$.

Context-Sensitive and Kleene-star

Let (N_1, Σ, P_1, S_1) and (N_2, Σ, P_2, S_2) be context-sensitive grammars for $L - \{\varepsilon\}$ with $N_1 \cap N_2 = \emptyset$ and all rules $l \rightarrow r$ satisfying $|l| \leq |r|$ and $l \in N_1^+$ or $l \in N_2^+$, respectively. Let S, S' be symbols not in $N_1 \cup N_2 \cup \Sigma$.

Now consider $(N_1 \cup N_2 \cup \{S, S'\}, \Sigma, P, S)$ where P contains the rules $S \rightarrow S' | \varepsilon$ and $S' \rightarrow S_1 S_2 S' \mid S_1 S_2 \mid S_1$ plus all rules in $P_1 \cup P_2$.

This grammar generates L^* .

Exercise 3.14.

Construct a grammar for $\{0^n 1^n 2^n : n > 0\}^+$. Try to keep it small (use more intuition than algorithms).

Context-Sensitive and Intersection

Theorem.

The intersection of two context-sensitive languages is context-sensitive.

Construction.

Let $(\mathbf{N}_k, \Sigma, \mathbf{P}_k, \mathbf{S})$ be grammars for \mathbf{L}_1 and \mathbf{L}_2 . Now make a new non-terminal set $\mathbf{N} = (\mathbf{N}_1 \cup \Sigma \cup \{\#\}) \times (\mathbf{N}_2 \cup \Sigma \cup \{\#\})$ with start symbol $\begin{pmatrix} \mathbf{S} \\ \mathbf{S} \end{pmatrix}$ and following types of rules:

- (a) Rules to generate and manage space;
- (b) Rules to generate a word \mathbf{v} in the upper row;
- (c) Rules to generate a word \mathbf{w} in the lower row;
- (d) Rules to convert a string from \mathbf{N} into \mathbf{v} provided that the upper components and lower components of the string are both \mathbf{v} .

Type of Rules

(a): $\begin{pmatrix} S \\ S \end{pmatrix} \rightarrow \begin{pmatrix} S \\ S \end{pmatrix} \begin{pmatrix} \# \\ \# \end{pmatrix}$ for producing space; $\begin{pmatrix} A \\ B \end{pmatrix} \begin{pmatrix} \# \\ C \end{pmatrix} \rightarrow \begin{pmatrix} \# \\ B \end{pmatrix} \begin{pmatrix} A \\ C \end{pmatrix}$
and $\begin{pmatrix} A \\ C \end{pmatrix} \begin{pmatrix} B \\ \# \end{pmatrix} \rightarrow \begin{pmatrix} A \\ \# \end{pmatrix} \begin{pmatrix} B \\ C \end{pmatrix}$ for space management.

(b) and (c): For each rule in P_1 , for example, for $AB \rightarrow CDE \in P_1$, and all symbols F, G, H, \dots in N_2 , one has the corresponding rule $\begin{pmatrix} A \\ F \end{pmatrix} \begin{pmatrix} B \\ G \end{pmatrix} \begin{pmatrix} \# \\ H \end{pmatrix} \rightarrow \begin{pmatrix} C \\ F \end{pmatrix} \begin{pmatrix} D \\ G \end{pmatrix} \begin{pmatrix} E \\ H \end{pmatrix}$. So rules in P_1 are simulated in the upper half and rules in P_2 are simulated in the lower half and they use up $\#$ if the left side is shorter than the right one.

(d): Each rule $\begin{pmatrix} a \\ a \end{pmatrix} \rightarrow a$ for $a \in \Sigma$ is there to convert a matching pair $\begin{pmatrix} a \\ a \end{pmatrix}$ from $\Sigma \times \Sigma$ (a nonterminal) to a (a terminal).

Grammar for $0^n 1^n 2^n$ with $n > 0$

Grammar L_1 : $S \rightarrow S2|0S1|01$.

Grammar L_2 : $S \rightarrow 0S|1S2|12$.

Grammar for Intersection.

A, B, C stand for any members of $\{S, 0, 1, 2, \#\}$.

$N = \left\{ \begin{pmatrix} A \\ B \end{pmatrix} : A, B \in \{S, 0, 1, 2, \#\} \right\}$.

Rules: $\begin{pmatrix} S \\ S \end{pmatrix} \rightarrow \begin{pmatrix} S \\ S \end{pmatrix} \begin{pmatrix} \# \\ \# \end{pmatrix}$;

$\begin{pmatrix} A \\ B \end{pmatrix} \begin{pmatrix} \# \\ C \end{pmatrix} \rightarrow \begin{pmatrix} \# \\ B \end{pmatrix} \begin{pmatrix} A \\ C \end{pmatrix}$; $\begin{pmatrix} A \\ C \end{pmatrix} \begin{pmatrix} B \\ \# \end{pmatrix} \rightarrow \begin{pmatrix} A \\ \# \end{pmatrix} \begin{pmatrix} B \\ C \end{pmatrix}$;

$\begin{pmatrix} S \\ A \end{pmatrix} \begin{pmatrix} \# \\ B \end{pmatrix} \rightarrow \begin{pmatrix} S \\ A \end{pmatrix} \begin{pmatrix} 2 \\ B \end{pmatrix}$; $\begin{pmatrix} S \\ A \end{pmatrix} \begin{pmatrix} \# \\ B \end{pmatrix} \begin{pmatrix} \# \\ C \end{pmatrix} \rightarrow \begin{pmatrix} 0 \\ A \end{pmatrix} \begin{pmatrix} S \\ B \end{pmatrix} \begin{pmatrix} 1 \\ C \end{pmatrix}$;

$\begin{pmatrix} S \\ A \end{pmatrix} \begin{pmatrix} \# \\ B \end{pmatrix} \rightarrow \begin{pmatrix} 0 \\ A \end{pmatrix} \begin{pmatrix} 1 \\ B \end{pmatrix}$;

$\begin{pmatrix} A \\ S \end{pmatrix} \begin{pmatrix} B \\ \# \end{pmatrix} \rightarrow \begin{pmatrix} A \\ 0 \end{pmatrix} \begin{pmatrix} B \\ S \end{pmatrix}$; $\begin{pmatrix} A \\ S \end{pmatrix} \begin{pmatrix} B \\ \# \end{pmatrix} \begin{pmatrix} C \\ \# \end{pmatrix} \rightarrow \begin{pmatrix} A \\ 1 \end{pmatrix} \begin{pmatrix} B \\ S \end{pmatrix} \begin{pmatrix} C \\ 2 \end{pmatrix}$;

$\begin{pmatrix} A \\ S \end{pmatrix} \begin{pmatrix} B \\ \# \end{pmatrix} \rightarrow \begin{pmatrix} A \\ 1 \end{pmatrix} \begin{pmatrix} B \\ 2 \end{pmatrix}$;

$\begin{pmatrix} 0 \\ 0 \end{pmatrix} \rightarrow 0$; $\begin{pmatrix} 1 \\ 1 \end{pmatrix} \rightarrow 1$; $\begin{pmatrix} 2 \\ 2 \end{pmatrix} \rightarrow 2$.

Deriving 001122

$$\begin{aligned}
 (S) &\Rightarrow^* (S) (\#) (\#) (\#) (\#) (\#) \Rightarrow (S) (2) (\#) (\#) (\#) (\#) \Rightarrow^* \\
 (S) (\#) (\#) (\#) (\#) (2) &\Rightarrow (S) (2) (\#) (\#) (\#) (2) \Rightarrow^* \\
 (S) (\#) (\#) (\#) (2) (2) &\Rightarrow (0) (S) (1) (\#) (2) (2) \Rightarrow \\
 (0) (S) (\#) (\#) (1) (2) (2) &\Rightarrow (0) (0) (1) (1) (2) (2) \Rightarrow \\
 (0) (0) (1) (1) (2) (2) &\Rightarrow (0) (0) (1) (1) (2) (2) \Rightarrow \\
 (0) (0) (1) (1) (2) (2) &\Rightarrow (0) (0) (1) (1) (2) (2) \Rightarrow \\
 (0) (0) (1) (1) (2) (2) &\Rightarrow^* 001122.
 \end{aligned}$$

Exercise 3.17

Consider the language $L = \{00\} \cdot \{0, 1, 2, 3\}^* \cup \{1, 2, 3\} \cdot \{0, 1, 2, 3\}^* \cup \{0, 1, 2, 3\}^* \cdot \{02, 03, 13, 10, 20, 30, 21, 31, 32\} \cdot \{0, 1, 2, 3\}^* \cup \{\varepsilon\} \cup \{01^n 2^n 3^n : n \in \mathbb{N}\}$.

Which versions of the Pumping Lemma does it satisfy:

- Regular Pumping Lemma (with / without bounds);
- Context-Free Pumping Lemma (with / without bounds);
- Block Pumping Lemma (for regular languages)?

Determine the exact position of L in the Chomsky hierarchy.

Mirror Images

Define $(a_1 a_2 \dots a_n)^{mi} = a_n \dots a_2 a_1$ as the mirror image of a string. A word w with $w = w^{mi}$ is called a palindrome.

It follows from the definition of context-free and context-sensitive, that if L is context-free / context-sensitive so is L^{mi} . This can be achieved by replacing every rule $l \rightarrow r$ by $l^{mi} \rightarrow r^{mi}$.

For example, the mirror image of the language of the words $0^n 1^{3n+3}$ is given by language of the words $1^{3n+3} 0^n$. While L is generated by a context-free grammar with one non-terminal S and rules $S \rightarrow 0S111 \mid 111$, L^{mi} is then generated by a similar grammar with the rules $S \rightarrow 111S0 \mid 111$.

Exercise 3.18

Recall that x^{mi} is the mirror image of x , so

$(01001)^{\text{mi}} = 10010$. Furthermore, $L^{\text{mi}} = \{x^{\text{mi}} : x \in L\}$.

Show the following two statements:

(a) If an nfa with n states recognises L then there is also an nfa with up to $n + 1$ states recognising L^{mi} .

(b) Find the smallest nfas which recognise $L = 0^*(1^* \cup 2^*)$ as well as L^{mi} .

Palindromes

The members of the language $\{x \in \Sigma^* : x = x^{mi}\}$ are called palindromes. A palindrome is a word or phrase which looks the same from both directions.

An example is the German name “OTTO”; furthermore, when ignoring spaces and punctuation marks, a famous palindrome is the phrase “A man, a plan, a canal: Panama.” This palindrome is due to Leigh Mercer (1893-1977).

The grammar with the rules $S \rightarrow aSa|aa|a|\varepsilon$ with a ranging over all members of Σ generates all palindromes; so for $\Sigma = \{0, 1, 2\}$ the rules of the grammar would be $S \rightarrow 0S0 | 1S1 | 2S2 | 00 | 11 | 22 | 0 | 1 | 2 | \varepsilon$.

The set of palindromes is not regular.

Exercises 3.20-3.22

Exercise 3.20

Let $w \in \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}^*$ be a palindrome of even length and n be its decimal value. Prove that n is a multiple of 11. Note that it is essential that the length is even, as for odd length there are counter examples (like 111 and 202).

Exercise 3.21

Given a context-free grammar for a language L , is there also one for $L \cap L^{mi}$? If so, explain how to construct the grammar; if not, provide a counter example where L is context-free but $L \cap L^{mi}$ is not.

Exercise 3.22

Is the following statement true or false? Prove your answer:
Given a language L , the language $L \cap L^{mi}$ equals to $\{w \in L : w \text{ is a palindrome}\}$.

Pumping Lemmas

Definition 3.24

Let \mathbf{PUMP}_{sw} contain all languages whose large members can be pumped somewhere (satisfy Corollary 1.20).

Let \mathbf{PUMP}_{st} contain all languages whose large members can be pumped near start (satisfy Theorem 1.19 (a)).

Let \mathbf{PUMP}_{bl} contain all languages which satisfy the block pumping lemma (Theorem 2.9).

Proposition 3.25

The classes \mathbf{PUMP}_{sw} and \mathbf{PUMP}_{st} are closed under union, concatenation, Kleene star and Kleene Plus.

For \mathbf{PUMP}_{st} this was proven in Theorem 1.19 (a) and the proof also works with minor modifications for \mathbf{PUMP}_{sw} .

Example 3.26

Let $L = \{0^h 1^k 2^m 3^n : h = 0 \text{ or } k = m = n\}$ and $H = \{00\} \cdot \{1\}^* \cdot \{2\}^* \cdot \{3\}^*$.

Both languages are in PUMP_{sw} and PUMP_{st} and H is regular. For pumping, one just pumps the first symbol. If it is 0 then it can be multiplied or removed; in the case that all 0 get removed, one has the regular language $\{1\}^* \cdot \{2\}^* \cdot \{3\}^*$; if the first symbol is in $\{1, 2, 3\}$ then the word is in $\{1\}^* \cdot \{2\}^* \cdot \{3\}^*$ and pumping the first letter does not change the membership in the language.

The intersection of L and H is the language $\{0^2 1^n 2^n 3^n : n \in \mathbb{N}\}$ which does not satisfy any of the pumping lemma's given in class; in particular $(L \cap H) \notin \text{PUMP}_{\text{sw}}$ and $(L \cap H) \notin \text{PUMP}_{\text{st}}$.

More Results

Proposition 3.27

If L is in \mathbf{PUMP}_{sw} or \mathbf{PUMP}_{bl} , then also L^{mi} is in the respective class.

Example

The language $\{u \in \{0, 1, 2\}^* : u \text{ contains a square}\}$ is in \mathbf{PUMP}_{sw} and \mathbf{PUMP}_{st} , but its complement is not.

Exercise 3.28

Show that \mathbf{PUMP}_{bl} is closed under union and concatenation. Furthermore, show that the language $L = \{vw^3w^4 : v, w \in \{0, 1, 2\}^* \text{ and if } v, w \text{ are both square-free then } |v| \neq |w| \text{ or } v = w\}$ is in \mathbf{PUMP}_{bl} while L^+ and L^* are not.

Theorem 3.29

If L, H are in \mathbf{PUMP}_{bl} so is $L \cap H$.

Proof of Theorem 3.29

Assume that L, H are block pumpable with constant c . Let c' be so large that if one colours the pairs of a set of c' elements with two colours then this set has a monochromatic subset with at least c elements.

Let a word $x \in L \cap H$ with a set I of c' breakpoints be given.

If a pair of breakpoints $i, j \in I$ split x into $u \cdot v \cdot w$ such that $u \cdot v^* \cdot w \subseteq L$ then let the colour be white else let the colour be red.

There is a monochromatic subset J of I containing at least c breakpoints. By choice of c , a pair of the breakpoints must have white colour and by choice of J , all pairs have.

Furthermore, one pair must also split x into $u \cdot v \cdot w$ with $u \cdot v^* \cdot w \subseteq H$. Now $u \cdot v^* \cdot w \subseteq L \cap H$ and $L \cap H$ is in PUMP_{b1} with constant c' .

Example

Let **L** be all words with even number of **1** and **H** all words with odd number of **2**. **L, H** are in **PUMP_{b1}** with constant **3**. Now **c' = 6**.

The word **00(a)01(b)1012(c)2(d)1121(e)00(f)00202** has six breakpoints and is in **L ∩ H**.

A pair of breakpoints is white iff an even number of **1** is in between. **(a, e), (a, f), (b, c), (b, d), (c, d), (e, f)** are white pairs. The set **{(b), (c), (d)}** is monochromatic, all of its pairs are white.

Among the white pairs, **(b, d)** and **(e, f)** satisfy that they split the word into **u · v · w** with **u · v* · w ⊆ H**.

Now **0001 · (10122)* · 11210000202 ⊆ L ∩ H**.

Additional Exercises

A language is called **linear** iff it has a grammar where every rule is either of the form $A \rightarrow u$ or of the form $A \rightarrow vBw$; here A, B are nonterminals and u, v, w are terminal words.

Exercise 3.30

Show that the intersection of a linear language and a regular language is linear.

Exercise 3.31

A linear grammar is called **balanced** iff for every rule of the form $A \rightarrow vBw$ it holds that $|v| = |w|$ and a language is called **balanced linear** iff it is generated by a balanced linear grammar. Is the intersection of two balanced linear languages again balanced linear? Prove the answer.

Exercise 3.32

Provide an example of a language which is linear but not balanced linear. Prove the answer.

Exercises

In the following, one considers regular expressions consisting of the symbol **L** of palindromes over $\{0, 1, 2\}$ and the mentioned operations. What is the most difficult level in the hierarchy “regular, linear, context-free, context-sensitive” such expressions can generate. It can be used that $\{10^i10^j10^k1 : i \neq j, i \neq k, j \neq k\}$ is not context-free.

Exercise 3.33: Expressions containing **L** and \cup and finite sets.

Exercise 3.34: Expressions containing **L** and \cup and \cdot and Kleene star and finite sets.

Exercise 3.35: Expressions containing **L** and \cup and \cdot and \cap and Kleene star and finite sets.

Exercise 3.36: Expressions containing **L** and \cdot and set difference and Kleene star and finite sets.