Frank Stephan – Research and Publications

Adress

Frank Stephan
Department of Mathematics and Department of Computer Science
National University of Singapore
Block S17, 10 Lower Kent Ridge Road, Singapore 119076, Republic of Singapore
Email fstephan@comp.nus.edu.sg
Webpage http://www.comp.nus.edu.sg/~fstephan/
Telephone mathematics +65-6516-2759 and computer science +65-6516-4246

Biography

Frank Stephan was born in Germany and visited primary and secondary schools in Wuppertal until 1983 when he obtained the Abitur, the German equivalent of A-levels. He studied at the University of Karlsruhe (Technical Highschool) and obtained the diploma in computer science in 1989 and the doctorate in mathematics in 1990. He worked at the University of Karlsruhe (T.H.) until 1995, from 1995 until 2003 at the University of Heidelberg, from 2003 until 2004 at the National ICT Australia at the University of New South Wales and since 2004 at the National University of Singapore. While working in Heidelberg, Frank Stephan received in 1999 the habilitation degree, a German postdoctoral degree comparable to the second doctorate of Russian scientists. Frank Stephan has been an editor of The Journal of Symbolic Logic for six years and is currently on the editorial board of Information and Computation, Journal of Computer and System Sciences, Computability and Acta Informatica.

Research

His research areas are recursion theory and applications growing out of it: bounded queries, Kolmogorov complexity, inductive inference, complexity theory and model theory. Furthermore, he works in automata theory and in particular in the areas of automatic structures and the learnability of automatic families.

Bounded Queries

A set A is (m,n)-recursive iff there is a recursive function f mapping n-tuples of different natural numbers to n-tuples of bits such that for all different $x_1, x_2, \ldots, x_n$ there are at least m indices $k \in \{1, 2, \ldots, n\}$ where the corresponding bits agree with the characteristic function: $f_k(x_1, x_2, \ldots, x_n) = A(x_k)$.

Martin Kummer and Frank Stephan [7] investigate the recursion-theoretic properties of the (m,n)-recursive sets. They show that simple $(m,2m)$-recursive sets are hypersimple but not hyperhypersimple while there are a maximal sets A and a simple but not hypersimple set B such that both, A and B, are $(m,2m+1)$-recursive for every m. Furthermore, it is shown that every $(1,n)$-recursive set is autoreducible.

In their paper "Approximable Sets", Richard Beigel, Martin Kummer and Frank Stephan [8] study polynomial time versions of (m,n)-recursive sets and show that no such set can be NP-complete unless P = NP. This was a hot topic and this paper [8] was one of three papers at

the conference "Structure in Complexity Theory" which obtained a main result; Stephan as the youngest author of all these three papers involved was then permitted to give a joint address to the conference on the topic. The paper [8] deals also with related notions like easily countable and shows that no NP-complete set is Turing reducible to an easily countable set. Here a set is easily countable iff there is a constant k such that a polynomial time function f produces on any distinct k inputs $x_1, x_2, \ldots, x_k$ a value $f(x_1, x_2, \ldots, x_k) \in \{0, 1, \ldots, k\}$ which is different from $A(x_1) + A(x_2) + \ldots + A(x_k)$. This paper is the most-cited paper of Frank Stephan according to Google Scholar.

Furthermore investigations deal with the inclusion problem: Martin Kummer and Frank Stephan [147] give an alternative prooff for Timothy McNicholl's result that the inclusion problem $\{(m, n, h, k) :$ every (m, n)-recursive set is (h, k)-recursive$\}$ is decidable.

Cristian Calude, Rusins Freivalds, Sanjay Jain and Frank Stephan [112] did follow-up work with respect to the ability of pushdown automata to (m, n)-compute sets. Here the situation differs from the situation in recursion theory and finite automata, as the pushdown automaton has to maintain a stack which is jointly for all n inputs. This leads to the result that there is a deterministic context-free set which is recognised by a $(1, 1)$-PDA but not by a $(2, 2)$-PDA. In the recursion-theoretic and complexity-theoretic and finite automata frameworks, these two criteria are equal. Further results clear up the situation.

Degrees of Strong Reducibilities

Frank Stephan [26] investigated the structure of the m-degrees, p-degrees and btt-degrees inside non-recursive tt-degrees. Carl Jockusch constructed 1969 an infinite ascending chain of m-degrees within a given arbitrary tt-degree and asked whether there is also an infinite antichain of m-degrees. Furthermore, he showed in 1968 that every tt-degree contains at least 3 positive degrees and asked whether this result is optimal. Alexander Dëgtev analyzed the situation with respect to btt-degrees and showed that every non-recursive tt-degree contains at least 2 btt-degrees. These results were extended in [26] as follows: every tt-degree contains infinite ascending and infinite descending chains of btt-degrees as well as infinite antichains; this result transfers immediately to m-degrees. But for positive reducibility, the lower bound of Carl Jockusch is already optimal, since there are tt-degrees containing exactly 3 positive degrees. These tt-degrees might be taken to be recursively enumerable or hyperimmune-free. But they must be minimal within the lattice of tt-degrees. Other possible cardinalities of the positive degrees inside the tt-degrees are 19, 219, 4231, ... and ∞; but the cardinality can never be even.

Kejia Joyce Ho and Frank Stephan [33] studied the bounded classes of recursively enumerable sets where a class is bounded if there is an incomplete set B such that every A in the class is m-reducible to B. They showed that the class of effectively simple sets is bounded by a simple set, that the class of maximal sets is not bounded, that some bounded class intersects every weak btt-degree, that the recursively enumerable sets within a Turing degree are bounded iff this Turing degree is low_2 and that this result does not hold with Q-degrees in place of Turing degrees.

Learning from Positive Data

Inductive inference studies learning in the limit; here a class S is Ex-learnable iff there is a recursive learner M such that M reads — in arbitrary or even adversary order with repetitions — all elements of a set $L \in S$ and outputs at the same time a sequence $e_0, e_1, \ldots$ of hypotheses for S such that almost all e_n are the same correct index e for L; Ex-learning can be relaxed to

BC-learning by requiring only semantic convergence in place of syntactic convergence, that is, while almost all e_n must be an index for L it is no longer required that $e_n = e_{n+1} = e_{n+2} = \ldots$ for some n. On the other side, the more restictive criterion of Fin-learning would require that e_0 is already the correct index.

Frank Stephan and Yuri Ventsov [28] investigated the question on relations between properties of recursive mathematical structures on the one side and the learnability of natural substructures from positive data on the other side. For example, the class of all ideals of a recursive ring can be learned under the criterion BC iff the ring is Noetherian and under the criterion Fin[K] iff the ring is Artinian. The intermediate criterion Ex does not have a beautiful characterization; for some rings, it even depends on the chosen representation of the ring whether the class of ideals is Ex-learnable or not. A further question addressed in this work is what knowledge on the given mathematical structure is necessary in order to construct a learner.

In the paper "When Unlearning Helps", Ganesh Baliga, John Case, Wolfgang Merkle and Frank Stephan [66] showed that there is a class S of recursively enumerable sets which can be Ex-learned from positive data, but which does not have a decisive Ex-learner — where a learner is decisive iff it never returns to a once abandoned hypothesis. This solves a problem open since 1986. In addition to this, they compared the notions of non U-shaped learning and decisive learning. A non U-shaped learner for a class S has the property that it never changes from a correct to an incorrect hypothesis, that is, it never "unlearns" something which it had already learnt. One can easily see that decisive learners are non U-shaped, but the converse is not true. Indeed, every Ex-learnable class has an explanatory non U-shaped learner. In contrast to this, for BC-learning, there is a class which is BC-learnable but not non U-shaped BC-learnable.

A new area growing out of this paper and in particular the study of non U-shaped learning became popular. Indeed, the notion had been investigated in psychological studies before, but not in inductive inference. Lorenzo Carlucci, John Case, Sanjay Jain and Frank Stephan [67] investigated when vacillatory learnable classes are contained in non U-shaped behaviourally correct learnable classes. The answer was that whenever the learner vacillates in the limit between at most two indices, then one can replace this learner by a non U-shaped behaviourally correct learner. But if the vacalliatory learner might vacillate in the limit between up to three indices then this inclusion breaks down. Further results can be found in the survey [166] by Sanjay Jain and Frank Stephan on this field.

Sanjay Jain and Frank Stephan supervised the honours year thesis of Ye Nan and investigated with him the question, to which extent one can prescribe the hypothesis space in learning. Here the central question was whether a given class can be learnt using any desired hypothesis space; if so, an additional question was whether one can synthesize a learner using that hypothesis space just from an index of that space. The investigations fall into two cases, one for uniformly recursive and one for uniformly r.e. hypothesis spaces. Ye Nan received for his work an Outstanding Undergraduate Investigator Award. Sanjay Jain, Frank Stephan and Nan Ye obtained in this paper "Prescribed learning of r.e. classes" [74] the important result that every behaviourally correctly learnable class has a prudent behaviourally correct learner, which in addition can be found effectively. This result solved a long-standing open problem in inductive inference, which was open since an error had been discovered in an earlier paper claiming the statement in 1988. The joint work was presented at the Converence on Algorithmic Learning Theorey 2007 and appeared in 2009 in Theoretical Computer Science. Additional work on the case of uniformly recursive hypothesis spaces was published in 2008 in Fundamentae Informaticae [65].

Inductive Inference of Functions

A class of recursive functions S is robustly Ex-learnable (BC-learnable) iff, for every total recursive operator Θ, the class $\Theta(S)$ is Ex-learnable (BC-learnable). John Case, Sanjay Jain, Frank Stephan and Rolf Wiehagen [43] showed that there are robustly Ex-learnable classes S which are not uniformly robustly BC-learnable, that is, one cannot compute a BC-learner for $\Theta(S)$ from a program for Θ. Furthermore, it is shown that every uniformly robust Ex-learnable class S also has an Ex-learner satisfying some weak notion of consistency introduced by Janis Bārzdins 1974.

Frank Stephan and Thomas Zeugmann [32] reconsidered the following class S which played an important role in the fundamental paper of Blum and Blum from 1975: $S = \{f : (\exists$ total and monotone $\Phi_e)$ $(\forall x)\,[f(x) = 1 \Leftrightarrow x$ is enumerated into K within $\Phi_e(x)$ computational steps$]\}$. They showed that this class is not a subclass of a uniformly recursive family of functions what was left open by Blum and Blum. Furthermore, S becomes unlearnable when "total and monotone Φ_e" is weakened to "total Φ_e". Further aspects of this work deal with the question which connections are between learnability and recursion-theoretic properties of a recursively enumerable set A when K is replaced by the set A in the above definition of S.

Susanne Kaufmann and Frank Stephan [25] investigated to which extend the usage of oracles by a learner depends on the syntactic presentation of the oracle. The idea is that the learner should succeed with any oracle repesenting the class in a certain syntacitic form. It turned out that for learning in the limit, lists of all functions to be learnt are more usefull than predictors (which predict almost all values of the function to be learned correctly) or classifiers (which converge to 1 iff the function to be learnt belongs to the given class). Martingales, that is, betting strategies succeeding on every function of the class to be learnt, turned out to be completely useless as an oracle for learning.

Sanjay Jain, Qinglong Luo and Frank Stephan [93] investigated for classes which are represented as automatic families, whether these can have a learner which maintains all data in form of a string and which updates this memory for each datum using an automatic functions; furthermore the hypotheses of the learner are also indices of the automatic family and also computed from the memory by an automatic function. This model has matching restrictions on the class to be learnt and the way the learner works and turned out to be an interesting model for learning; various follow-up work deals with this learning model [86, 92, 99, 102, 103, 177].

Kolmogorov complexity

Kolmogorov complexity measures the complexity of a finite object (string or number) by the length of the shortest input string to a universal machine U which produces this string: in short, $C(x) = \min\{|p| : U(p) = x\}$. Often one does not consider all machines but only those where the domain is prefix-free, that is, where no member of the domain is a proper prefix of another member. In that case one speaks of the prefix-free Kolmogorov complexity H. The importance of the latter can be seen from the characterization that a set A is Martin-Löf random iff $H(A(0)A(1)A(2)\ldots A(n)) \geq n$ for almost all n.

Antonín Kučera had constructed a PA-complete set where the Turing degree does not contain a Martin-Löf random set. This stands in contrast to the fact that all Martin-Löf random sets which are above the halting problem K with respect to Turing reducibility are also PA-complete. Therefore Klaus Ambos-Spies and Antonín Kučera asked what the general situation of the Martin-Löf random sets not Turing above the halting problem is; in particular whether some of them can be PA-complete. In a short paper, Frank Stephan [168] proved that every

PA-complete Martin-Löf random set is already Turing hard for the halting problem; hence the answer to the question of Ambos-Spies and Kučera is negative. So this paper establishes that there are two types of Martin-Löf random sets: those above the halting problem with high computational power and those which are PA-incomplete and therefore fail to extend certain $\{0,1\}$-valued partial-recursive functions to total ones. This result also shows that the result of Gács and Kučera that every Turing degree above K contains a Martin-Löf random set is optimal; one cannot replace K in this theorem by any other set $A \not\geq_T K$.

Richard Beigel, Harry Buhrman, Peter Fejer, Lance Fortnow, Piotr Grabowski, Luc Longpré, Andrej Muchnik, Frank Stephan and Leen Torenvliet [48] studied the following question: Given an oracle A, how difficult is it to enumerate the Kolmogorov function $x \mapsto C(x)$ relative to A. More precisely, assume that an algorithm enumerates for every input x of length n up to $k(n)$ many values such that $C(x)$ is among these. What can be said about the function k? The three main results are the following: (1) If A is recursive then $k(n) \geq r \cdot n$ for some real constant $r > 0$ which depends on the universal machine U on which C is based. (2) If $k(n)$ is a constant (independent of n) then the oracle A must be Turing above the halting problem K, hence every oracle A which can enumerate $C(x)$ in constantly many trials can in fact already compute $C(x)$. (3) There exists an r.e., Turing-incomplete set A such for every non-decreasing and unbounded recursive function k, the Kolmogorov function is $k(n)$-enumerable relative to A. So result (2) says that the Kolmogorov function is a natural example of a function which needs more than constant enumeration complexity for oracles not above K. Similar such functions are well known, for example the cardinality function mapping each input of the form $(n, x_1, x_2, \ldots, x_n)$ to the n-fold sum $K(x_1) + K(x_2) + \ldots + K(x_n)$ of the corresponding values of the characteristic function of K and the function mapping each input of the form $(n, x_1, x_2, \ldots, x_n)$ to the corresponding vector $(K(x_1), K(x_2), \ldots, K(x_n))$ of the characteristic function; these two examples can be derived from Beigel's Nonspeedup Theorem and Kummer's Cardinality Theorem. But while those examples would work for every oracle, the example of the Kolmogorov function here is more specific for the halting problem K.

Andre Nies, Frank Stephan and Sebastian A. Terwijn [46] compare various notions of algorithmic randomness. In particular they show that a set A is Martin-Löf random relative to K if and only if there is a constant c such that $C(A(0)A(1)\ldots A(n)) \geq n - c$ for infinitely many n. The 'only if' direction was obtained independently by Joseph Miller. This characterization can be extended to the case of time-bounded C-complexity. Furthermore, they show that the notions of Martin-Löf randomness, recursive randomness and Schnorr randomness can be separated in every high Turing degree while the same notions coincide in every non-high degree. An additional result is that every hyperimmune Turing degree contains a set which is Schnorr random but not Martin-Löf random while in the hyperimmune-free degrees the notions of Kurtz random, Schnorr random and Martin-Löf random coincide.

Wolfgang Merkle and Frank Stephan [170] solved several open problems on C-reducibilities and H-reducibilities by linking them to Turing reductions. Here $A \leq_C B$ iff there is a constant c such that $C(A(0)A(1)A(2)\ldots A(n)) \leq C(B(0)B(1)B(2)\ldots B(n)) + c$ for all n; the definition of H-reducibility is analogous. Merkle and Stephan showed that there are minimal C-degrees which in addition coincide with minimal H-degrees and that there is a minimal pair of C-degrees given by two r.e. sets forming a minimal pair in the Turing degrees. Also it is shown that non-trivial meets can exist but that there are also pairs of C-degrees without a meet. A minimal pair of H-degrees given by Σ^0_2-sets was constructed bringing down the known bound of it.

Johanna Franklin and Frank Stephan [77] study Schnorr-trivial sets and give a new characterization by proving that A is Schnorr-trivial iff for every $f \leq_{tt} A$ there is a recursive function

g with

$$\forall f \leq_{tt} A \, \exists \text{ recursive } g \, \forall n \, [f(n) \in \{g(2^n), g(2^n)+1, g(2^n+2), \ldots, g(2^{n+1}-1)\}].$$

Franklin and Stephan solved an open problem by proving that Schnorr trivial sets are closed under join and therefore form an ideal in the truth-table degrees. In contrast to this, they showed that the Schnorr trivial sets are not closed under weak truth-table reducibility. They also proved that a set A is Schnorr-trivial iff every Schnorr random set B is also Schnorr random truth-table relative to A; that is, the Schnorr trivial sets are those which are truth-table low for Schnorr-randomness.

Model Theory

The main topic of model theory is how structures can be presented and whether such presentations are isomorphic. In general, given a structure, say a ring $(R, +, \cdot)$, a presentation of this ring would be a base set A and two functions $f, g : A \times A \to A$ such that there is a bijection $h : R \to A$ satisfying $h(x+y) = f(h(x), h(y))$ and $h(x \cdot y) = g(h(x), h(y))$ for all x, y. One is in particular interested in models where the domain is either the set of natural numbers or a regular set over a finite alphabet and where the considered operations like f, g in this example are recursive functions.

In the paper "Applications of Kolmogorov Complexity to Computable Model Theory", Bakhadyr Khoussainov, Pavel Semukhin and Frank Stephan [61] considered the well-known question whether there exists a complete theory with the following four properties: (1) there are several countable models; (2) for each uncountable cardinal there is only one model; (3) all computable models are isomorphic via a recursive permutation; (4) only the saturated model is computable. The answer was affirmatively and it used a construction which is based on Kolmogorov complexity. This proof method permitted to simplify the construction much. Furthermore, a variation of the construction permitted to construct a theory where only the saturated model has an r.e. presentation and this is computably categorical; again for this theory, there are countably many countable models and for each uncountable cardinal exact one model.

Bakhadyr Khoussainov, Andre Nies, Sasha Rubin and Frank Stephan [64, 161, 162] studied the field of automatic structures where the domain and the graphs of all relations and functions involved have to be recognized by a finite automaton. Sample results include that the random graph does not have an automatic presentation and a characterizations of the automatically presentable linear orders is obtained. Furthermore it is shown that the automorphism problem for the class of all automatic structures is a Σ^1_1-complete problem.

Pavel Semukhin and Frank Stephan [97] studied automatic structure from a model-theoretic viewpoint and answered several questions of Khoussainov and Nerode. They inparticular showed the following: (1) There is an uncountably categorical but not countably categorical theory for which only the prime model is automatic; (2) There are complete theories with exactly $3, 4, 5, \ldots$ countable models, respectively, and every countable model is automatic; (3) There is a complete theory for which exactly 2 models have an automatic presentation; (4) There is a complete theory with countably many countable models for which the saturated model has an automatic presentation but the prime model does not have one.

Sanjay Jain, Bakhadyr Khoussainov, Frank Stephan, Dan Teng and Siyuan Zou [124] investigated to which extent one can represent more involved structure when one permits for some but not necessary all functions and relations in the structure that not the relation or function itself is automatic but only the derived relation or function when all but one of the inputs to

the relation or function are chosen as constants. While for some structures like countable ordinals with addition and order, this concept is very powerful and all the corresponding structures are represented, there are other structures like finitely generated groups with undecidable word problem which cannot be represented this way. In this paper, a particular emphasis is given to natural structures like the the ordered ring of the integers over a square-root and the derived ordered fields. Also some natural structures are provided which are not semiautomatic.

Block Pumpable Languages

Christopher Chak, Rusins Freivalds, Frank Stephan and Henrietta Tan [113] investigated the notion of block pumpable sets. Ehrenfeucht, Parikh and Rozenberg had demonstrated that a language is regular iff it satisfies a block pumping condition; this condition is a type of pumping lemma applying to both, the language and its complement. One can weaken this condition to requiring the block pumping lemma to hold only for the language itself – as done with the traditional pumping lemma – and obtains the notion of block pumpable languages. These has nice closure properties: the block pumpable languages are closed under intersection, union, concatenation and automatic mappings; however, they are not closed under Kleene star. Furthermore, one can also obtain a pumping lemma for pumping at k places simultaneously. Some question remained open in the work of Chak, Freivalds, Stephan and Tan [113]: most notably the constants obtained in the construction are all obtained using Ramsey's Theorem and thus are very large; usually, when constructing pumping conditions on regular sets, the constants are bounded by the number of states of an nfa; therefore one might ask whether better bounds can be obtained also in the general case where the nfa is not available.

Articles in scientific journals

[1] Martin Kummer and Frank Stephan. Weakly semirecursive sets and r.e. orderings. *Annals of Pure and Applied Logic* 60:133–150, 1993.

[2] Carl Jockusch and Frank Stephan. A cohesive set which is not high. *Mathematical Logic Quarterly*, 39:515–530, 1993. A corrective note (keeping the main results intact) appeared in the same journal, 43:569, 1997.

[3] Heinz Braun and Frank Stephan. On optimizing diameter and average distance of directed interconnected networks. *IEEE Transactions on Computers*, 42:353–358, 1993.

[4] Lance Fortnow, William Gasarch, Sanjay Jain, Efim Kinber, Martin Kummer, Stuart A. Kurtz, Mark Pleszkoch, Theodore A. Slaman, Robert Solovay and Frank Stephan. Extremes in the degrees of inferability. *Annals of Pure and Applied Logic*, 66:231–276, 1994.

[5] Martin Kummer and Frank Stephan. Effective search problems. *Mathematical Logic Quarterly*, 40:224–236, 1994.

[6] Richard Beigel, Martin Kummer and Frank Stephan. Quantifying the amount of verboseness. *Information and Computation* 118:71–90, 1995. *Proceedings of the Second International Symposium on Logical Foundations of Computer Science* – Logic at Tver 1992, Springer LNCS 620, 21–32, 1992.

[7] Martin Kummer and Frank Stephan. Recursion theoretic properties of frequency computation and bounded queries. *Information and Computation*, 120:59–77, 1995. *Proceedings of the Third Kurt-Gödel-Colloquium*, Springer LNCS 713, 243–254, 1993.

[8] Richard Beigel, Martin Kummer and Frank Stephan. Approximable sets. *Information and Computation*, 120:304–314, 1995. *Proceedings Structure in Complexity Theory, Ninth Annual Conference*, IEEE Press, 12–23, 1994.

[9] Efim Kinber and Frank Stephan. Language learning from texts: mind changes, limited memory and monotonicity. *Information and Computation*, 123:224–241, 1995. *Proceedings of the Eighth Annual ACM Conference on Computational Learning Theory* – COLT 1995, ACM-Press, 182–189, 1995.

[10] Martin Kummer and Frank Stephan. On the structure of degrees of inferability. *Journal of Computer and System Sciences* (Special Issue COLT 1993), 52:214–238, 1996. *Proceedings of the Sixth Annual ACM Conference on Computational Learning Theory* – COLT 1993, 117–126, ACM-Press, New York, 1993.

[11] Martin Kummer and Frank Stephan. Inclusion problems in parallel learning and games. *Journal of Computer and System Sciences* (Special Issue COLT 1994), 52:403–420, 1996. *Proceedings of the Seventh Annual ACM Conference on Computational Learning Theory* – COLT 1994, 287–298, ACM-Press, New York, 1994.

[12] Frank Stephan. Noisy inference and oracles. *Theoretical Computer Science* 185:129–157, 1997. *Proceedings of the 6th International Workshop on Algorithmic Learning Theory* – ALT 1995, Springer LNCS 997, 185–200, 1995.

[13] Lance Fortnow, Rusins Freivalds, William Gasarch, Martin Kummer, Stuart A. Kurtz, Carl Smith and Frank Stephan. On the relative sizes of learnable sets. *Theoretical Computer Science*, 197:139–156, 1998. An extended abstract appeared under the title "Measure, category and learning theory" in *Proceedings of the 22nd International Colloquium on Automata, Languages and Programming* – ICALP 1995, Springer LNCS 944, 558–569, 1995.

[14] Bernd Borchert, Desh Ranjan and Frank Stephan. On the computational complexity of some classical equivalence relations on Boolean functions. *Theory of Computing Systems*, 31:679–693, 1998.

[15] Frank Stephan. Learning via queries and oracles. *Annals of Pure and Applied Logic*, 94:273–296, 1998. *Proceedings of the Eighth Annual ACM Conference on Computational Learning Theory* – COLT 1995, ACM-Press, New York, 162–169, 1995.

[16] William Gasarch, Mark Pleszkoch, Frank Stephan and Mahendran Velauthapillai. Classification using information. *Annals of Mathematics and Artificial Intelligence. Selected papers from ALT 1994 and AII 1994*, 23:147–168, 1998.

[17] Henning Fernau and Frank Stephan. Characterizations of recursively enumerable languages by programmed grammars with unconditional transfer. *Journal of Automata, Languages and Combinatorics*, 4:117–142, 1999. Konferenzversion: How powerful is unconditional transfer? – When UT meets AC. – *Proceedings of the Conference Developments in Language Theory* – DLT 1997 (S. Bozapalidis, ed.), 249–260, Aristotle University of Thessaloniki, Thessaloniki, 1997.

[18] Bernd Borchert, Dietrich Kuske and Frank Stephan. On existentially first-order definable languages and their relation to NP. *RAIRO Informatique Theorique et Applications*, 33:259–270,1999. *Proceedings of the 25th International Colloquium on Automata, Languages and Programming* – ICALP 1998.

[19] Frank Stephan and Sebastiaan A. Terwijn. The complexity of universal text-learners. *Information and Computation*, 154:149–166, 1999. *Proceedings of the Eleventh International Symposium on Fundamentals of Computation Theory* – FCT 1997, Springer LNCS 1279, 441–451, 1997.

[20] Richard Beigel, William Gasarch, Martin Kummer, Georgia Martin, Timothy McNicholl and Frank Stephan. The complexity of Odd_n^A. *The Journal of Symbolic Logic*, 65:1–18, 2000. Conference-Version: On the query complexity of sets. *Proceedings of the Twentyfirst International Symposium on Mathematical Foundations of Computer Science* – MFCS 1996, Springer LNCS 1113, 206–217, 1996.

[21] John Case, Sanjay Jain, Matthias Ott, Arun Sharma and Frank Stephan. Robust learning aided by context. *Journal of Computer and System Sciences* (*Special Issue COLT 1998*), 60:234–257, 2000. *Proceedings of the Eleventh Annual ACM Conference on Computational Learning Theory* – COLT 1998, ACM-Press, 44–55, 1998.

[22] John Case, Sanjay Jain and Frank Stephan. Vacillatory and BC learning on noisy data. *Theoretical Computer Science*, 241:115–141, 2000. *Proceedings of the Seventh Annual Workshop on Algorithmic Learning Theory* – ALT 1996, Springer LNCS 1160, 285–298, 1996. Siehe auch: Electronic Archive for Computational Learning Theory eC-TR-96-002, Dortmund, 1996.

[23] Bernd Borchert and Frank Stephan. Looking for an analogue of Rice's theorem in complexity theory. *Mathematical Logic Quarterly*, 46:489–504, 2000. *Proceedings of the Fifth Kurt-Gödel-Colloquium* – KGS 1997, Springer LNCS 1289, 114–127, 1997.

[24] Matthias Ott and Frank Stephan. Structural measures for games and process control in the branch learning model. *Theoretical Computer Science – Series A*, 244:135–165, 2000. *Proceedings of the Third European Conference on Computational Learning Theory* – EuroCOLT 1997, Springer LNCS 1208, 94-108, 1997.

[25] Susanne Kaufmann and Frank Stephan. Robust learning with infinite additional information. *Theoretical Computer Science – Series A*, 259:427–454, 2001. *Proceedings of the Third European Conference on Computational Learning Theory* – EuroCOLT 1997, Springer LNCS 1208, 316-330, 1997.

[26] Frank Stephan. On the structures inside truth-table degrees. *The Journal of Symbolic Logic*, 66:731–770, 2001.

[27] John Case, Sanjay Jain, Susanne Kaufmann, Arun Sharma and Frank Stephan. Predictive learning models for concept drift. *Theoretical Computer Science – Series A*, 268:323–349, 2001. *Proceedings of the Ninth Annual Workshop on Algorithmic Learning Theory* – ALT 1998, Springer LNCS 1501, 276–290, 1998.

[28] Frank Stephan and Yuri Ventsov. Learning Algebraic Structures from Text using Semantical Knowledge. *Theoretical Computer Science – Series A*, 268:221–273, 2001. *Proceedings of the Ninth Annual Workshop on Algorithmic Learning Theory* – ALT 1998, Springer LNCS 1501, 321–335, 1998.

[29] Frank Stephan. On one-sided versus two-sided classification. *Archive for Mathematical Logic*, 40:489–513, 2001.

[30] John Case, Matthias Ott, Arun Sharma and Frank Stephan. Learning to win process-control games watching game-masters. *Information and Computation*, 174:1–19, 2002. *Proceedings of the Ninth Annual Workshop on Algorithmic Learning Theory* – ALT 1998, Springer LNCS 1501, 31–45, 1998.

[31] Matthias Ott and Frank Stephan. Avoiding coding tricks by hyperrobust learning. *Theoretical Computer Science – Series A*, 284:161–180, 2002. *Proceedings of the Fourth European Conference on Computational Learning Theory* – EuroCOLT 1999. Springer LNCS 1572, 183–197, 1999.

[32] Frank Stephan and Thomas Zeugmann. Learning classes of approximations to non-recursive functions. *Theoretical Computer Science – Series A*, 288:309–341, 2002. Conference version (with title On the uniform learnability of approximations to non-recursive functions) in *Proceedings of the Ninth Annual Workshop on Algorithmic Learning Theory* – ALT 1999, Springer LNCS 1720, 276–290, 1999.

[33] Kejia Joyce Ho and Frank Stephan. Classes bounded by incomplete sets. *Annals of Pure and Applied Logic*, 116:273–295, 2002.

[34] Wolfgang Merkle and Frank Stephan. Refuting Learning Revisited. *Theoretical Computer Science – Series A*, 298:145–177, 2003. *Algorithmic Learning Theory, Twelfth International Conference, ALT 2001, Washington, DC, USA, November 25-28, 2001, Proceedings*, Springer LNAI 2225:299–314, 2001.

[35] Eric Martin, Arun Sharma and Frank Stephan. *Learning power and language expressiveness. Theoretical Computer Science – Series A*, 298:365–383, 2003.

[36] Wolfram Menzel and Frank Stephan. *Topological aspects of numberings. Mathematical Logic Quarterly*, 49:129-149, 2003.

[37] Sanjay Jain and Frank Stephan. Learning by switching type of information. *Information and Computation*, 185:90–105, 2003. *Algorithmic Learning Theory, Twelfth International Conference, ALT 2001, Washington, DC, USA, November 25-28, 2001, Proceedings*, Springer LNAI 2225:205–218, 2001.

[38] Wolfgang Merkle and Frank Stephan. Trees and learning. *Journal of Computer and System Sciences*, 68:134–156, 2004. *Proceedings of the Ninth Annual Conference on Computational Learning Theory* – COLT 1996, ACM-Press, 270–279, 1996.

[39] Sanjay Jain and Frank Stephan. Learning how to separate. *Theoretical Coputer Science* (Special Issue ALT 2001), 313:209–228, 2004. *Algorithmic Learning Theory, Twelfth International Conference, ALT 2001, Washington, DC, USA, November 25-28, 2001, Proceedings*, Springer LNAI 2225:219–234, 2001.

[40] Sanjay Jain, Frank Stephan and Sebastiaan A. Terwijn. Counting extensional differences in BC-learning. *Information and Computation*, 188:127–142, 2004. Conference version by Frank Stephan and Sebastiaan A. Terwijn only: *Proceedings of the Fifth International Colloquium on Grammatical Inference* – ICGI 2000, Springer LNAI 1891:256–269, 2000.

[41] Arun Sharma, Frank Stephan and Yuri Ventsov. Generalized notions of mind change complexity. *Information and Computation* 189:235–262, 2004. *Proceedings of the Conference on Computational Learning Theory* – COLT 1997, Nashville, 96–108, 1997.

[42] John Case, Efim Kinber, Arun Sharma and Frank Stephan. On the classification of recursive languages. *Information and Computation* 192:15–40, 2004. *Proceedings of the Symposium on Theoretical Aspects of Computer Science* – STACS 1997, Springer LNCS 1200, 225–236, 1997.

[43] John Case, Sanjay Jain, Frank Stephan and Rolf Wiehagen. Robust learning – rich and poor. *Journal of Computer and System Sciences* 69:123–165, 2004. *Proceedings of the Fourteenth Annual Conference on Computational Learning Theory and the Fifth European Conference on Computational Learning Theory* – COLT 2001 and EuroCOLT 2001, Springer LNAI 2111:143–159, 2001.

[44] Sanjay Jain, Wolfram Menzel and Frank Stephan. Classes with easily learnable subclasses. *Information and Computation*, 190:81–99, 2004. *Algorithmic Learning Theory. 13th International Conference*, ALT 2002, Lübeck, Germany, November 2002, Proceedings, Springer LNCS 2533:218–232, 2002.

[45] Bernd Borchert, Klaus-Jörn Lange, Frank Stephan, Pascal Tesson and Denis Therien. The dot-depth and the polynomial hierarchy correspond on the delta levels. *International Journal of Foundations of Computer Science* 16:625–644, 2005. *Developments in Language Theory*: 8th International Conference, DLT 2004. Auckland, New Zealand, December 13-17. Proceedings; Springer LNCS 3340:89–1001, 2004.

[46] Andre Nies, Frank Stephan and Sebastian A. Terwijn. Randomness, relativization and Turing degrees. The Journal of Symbolic Logic 70:515–535, 2005.

[47] Wolfgang Merkle, Joseph Miller, Andre Nies, Jan Reimann and Frank Stephan. Kolmogorov-Loveland Randomness and Stochasticity. *Annals of Pure and Applied Logic*, 138:183–210, 2006. STACS 2005 – *Twentysecond Annual Symposium on Theoretical Aspects of Computer Science*, Stuttgart, Germany, February 24-26, 2005, Proceedings. Springer LNCS 3404:422–433, 2005.

[48] Richard Beigel, Harry Buhrman, Peter Fejer, Lance Fortnow, Piotr Grabowski, Luc Longpre, Andrej Muchnik, Frank Stephan and Leen Torenvliet. Enumerations of the Kolmogorov function. *The Journal of Symbolic Logic* 71:501–528, 2006.

[49] John Case, Sanjay Jain, Eric Martin, Arun Sharma and Frank Stephan. Identifying clusters from positive data. *SIAM Journal on Computing* 36:28–55, 2006. *Grammatical Inference: Algorithms and Applications* – 7th International Colloquium, ICGI 2004, Athens, Greece, October 11-13, 2004, Proceedings; Springer LNCS 3264, 103-114, 2004.

[50] Bjoern Kjos-Hanssen, André Nies and Frank Stephan. Lowness for the class of Schnorr random reals. *SIAM Journal on Computing* 35:647–657, 2006.

[51] Lorenzo Carlucci, Sanjay Jain, Efim Kinber and Frank Stephan. Variations of U-Shaped Learning. *Information and Computation*, 204:1264–1294, 2006. *Computational Learning Theory: Eightteenth Annual Conference on Learning Theory*, COLT 2005, Bertinoro, Italy, June 27-30, 2005. Proceedings. Springer LNCS 3559:382–397, 2005.

[52] Richard Beigel, Lance Fortnow and Frank Stephan. Infinitely-often autoreducible sets. *SIAM Journal on Computing*, 36:595–608, 2006. *Algorithms and Computation*, 14th International Symposium, ISAAC 2003, Kyoto, Japan, December 15-17, 2003, Proceedings; Springer LNCS 2906:98–107, 2003.

[53] Santiago Figueira, Frank Stephan and Guohua Wu. Randomness and universal machines. *Journal of Complexity*, 22:738–751, 2006. *Second International Conference on Computability and Complexity in Analysis*, CCA 2005. Fernuniversität in Hagen, Informatik Bereichte 326:103–116, 2005.

[54] Eric Martin, Arun Sharma and Frank Stephan. Unifying logic, topology and learning in Parametric Logic. *Theoretical Computer Science*, 350:103–149, 2006. Appeared as "Learning, logic and topology in a common framework" at *Algorithmic Learning Theory. 13th International Conference*, ALT 2002, Lübeck, Germany, November 2002, Proceedings, Springer LNCS 2533:248–262, 2002.

[55] John Case, Sanjay Jain, Rüdiger Reischuk, Frank Stephan and Thomas Zeugmann. Learning a subclass of regular patterns in polynomial time. *Theoretical Computer Science*, 364:115–131, 2006. *Algorithmic Learning Theory*, Fourteenth International Conference, ALT 2003, Sapporo, Japan, October 2003, Proceedings; Springer LNAI 2842:234–246, 2003.

[56] Eric Martin, Arun Sharma and Frank Stephan. On ordinal VC-dimension and some notions of complexity. *Theoretical Computer Science*, 364:62–76, 2006. *Algorithmic Learning Theory*, Fourteenth International Conference, ALT 2003, Sapporo, Japan, October 2003, Proceedings; Springer LNAI 2842:54–68, 2003.

[57] Valentina S. Harizanov and Frank Stephan. On the learnability of vector spaces. *Journal of Computer and System Sciences*, 73:109–122, 2007. *Algorithmic Learning Theory. 13th International Conference*, ALT 2002, Lübeck, Germany, November 2002, Proceedings, Springer LNCS 2533:233–247, 2002.

[58] Eric Martin, Arun Sharma and Frank Stephan. On the Data Consumption Benefits of Accepting Increased Uncertainty. *Theoretical Computer Science*, 382:170–182, 2007. Algorithmic Learning Theory: 15th International Conference, ALT 2004, Padova, Italy, October 2-5, 2004. Proceedings; Springer LNCS 3244:83-98, 2004.

[59] Lorenzo Carlucci, John Case, Sanjay Jain and Frank Stephan. Results on memory-limited U-shaped learning. *Information and Computation*, 205:1551–1573, 2007. *Computational Learning Theory*: Nineteenth Annual Conference, COLT 2006, Carnegie Mellon University, Pittsburgh, Pennsylvania, June 22-25, 2006. Proceedings. Springer LNAI 4005:259–273, 2006.

[60] Sanjay Jain, Jochen Nessel and Frank Stephan. Invertible Classes. *Theoretical Computer Science*, 384:49–65, 2007. *Theory and Applications of Models of Computation*: Third

International Conference, TAMC 2006, Beijing, China, May 15-20, 2006. Proceedings. Springer LNCS, 3959:707–720, 2006.

[61] Bakhadyr Khoussainov, Pavel Semukhin and Frank Stephan. Applications of Kolmogorov Complexity to Computable Model Theory. *The Journal of Symbolic Logic*, 72:1041–1054, 2007.

[62] Bahareh Afshari, George Barmpalias, S. Barry Cooper and Frank Stephan. Post's Programme for the Ershov Hierarchy. *Journal of Logic and Computation*, 17:1025–1040, 2007.

[63] Denis R. Hirschfeldt, Andre Nies and Frank Stephan. Using random sets as oracles. *Journal of the London Mathematical Society*, 75:610–622, 2007.

[64] Bakhadyr Khoussainov, Andre Nies, Sasha Rubin and Frank Stephan. Automatic structures: richness and limitations. *Logical Methods in Computer Science*, volume 3, number 2, 2007. *Nineteenth IEEE Symposium on Logic in Computer Science, LICS 2004*, 14-17 July 2004, Turku, Finland, Proceedings; IEEE Computer Society, pages 44–53, 2004.

[65] Sanjay Jain, Frank Stephan and Nan Ye. Prescribed learning of indexed families. *Fundamenta Informaticae*, 83:159–175, 2008.

[66] Ganesh Baliga, John Case, Wolfgang Merkle, Frank Stephan and Rolf Wiehagen. When unlearning helps. *Information and Computation*, 206:694–709, 2008. Preliminary version appeared as "Unlearning helps" by G. Baliga, J. Case, W. Merkle and F. Stephan in *Proceedings of the 27th International Colloquium on Automata, Languages and Programming* – ICALP 2000, Springer LNCS 1853, 844–855, 2000.

[67] Lorenzo Carlucci, John Case, Sanjay Jain and Frank Stephan. Non U-shaped vacillatory and team learning. *Journal of Computer and System Sciences*, 74:409-430, 2008. *Algorithmic Learning Theory: Sixteenth International Conference*, ALT 2005, Singapore, October 2005. Proceedings. Springer LNAI 3734:241–255, 2005.

[68] Sanjay Jain and Frank Stephan. Learning in Friedberg numberings. *Information and Computation*, 206:776–790, 2008. Algorithmic Learning Theory, Eighteenth International Conference, ALT 2007, Sendai, Japan, October 2-4, 2007. Proceedings. Springer LNAI 4754:79–93, 2007.

[69] Sanjay Jain and Frank Stephan. Mitotic Classes in Inductive Inference. *SIAM Journal on Computing*, 38:1283–1299, 2008. *Computational Learning Theory, 20th Annual Conference on Computational Learning Theory, COLT 2007, San Diego, CA, USA, June 13-15, 2007, Proceedings.* Springer LNCS 4539:218–232, 2007.

[70] Santiago Figueira, Andre Nies and Frank Stephan. Lowness properties and approximations of the jump. *Annals of Pure and Applied Logic*, 152:51–66, 2008. *Proceedings of the Twelfth Workshop of Logic, Language, Information and Computation* (WoLLIC 2005). Electronic Lecture Notes in Theoretical Computer Science 143:45–57, 2006.

[71] Bakhadyr Khoussainov, Frank Stephan and Yue Yang. Computable categoricity and the Ershov hierarchy. *Annals of Pure and Applied Logic*, 156:86–95, 2008.

[72] George Barmpalias, Andy Lewis and Frank Stephan. Pi-0-1 classes, LR degrees and Turing degrees. *Annals of Pure and Applied Logic* 152:21–38, 2008.

[73] Frank Stephan and Jason Teutsch. Immunity and hyperimmunity for generalized random strings. *Notre Dame Journal of Formal Logic*, 49:107–125, 2008.

[74] Sanjay Jain, Frank Stephan and Nan Ye. Prescribed learning of r.e. classes. *Theoretical Computer Science* 410:1796–1806, 2009. *Algorithmic Learning Theory*, Eighteenth International Conference, ALT 2007, Sendai, Japan, October 2-4, 2007. Proceedings. Springer LNAI 4754:64–78, 2007.

[75] Laurent Bienvenu, David Doty and Frank Stephan. Constructive dimension and Turing degrees. *Theory of Computing Systems*, 46:740–755, 2009. Revised version of a paper at *Computation and Logic in the Real World, Third Conference on Computability in Europe, CiE 2007, Siena, Italy, Proceedings.* Springer LNCS 4497:63–72, 2007.

[76] Sanjay Jain, Eric Martin and Frank Stephan. Input-dependence in function-learning. *Theory of Computing Systems*, 46:849–864, 2009. *Computation and Logic in the Real World, Third Conference on Computability in Europe, CiE 2007, Siena, Italy, Proceedings.* Springer LNCS 4497:378–388, 2007.

[77] Johanna Franklin and Frank Stephan. Schnorr trivial sets and truth-table reducibility. *The Journal of Symbolic Logic*, 75:501–521, 2010.

[78] Leonor Becerra-Bonache, John Case, Sanjay Jain and Frank Stephan. Iterative Learning of Simple External Contextual Languages. *Theoretical Computer Science*, 411:2741–2756, 2010. *Algorithmic Learning Theory*, Nineteenth International Conference, ALT 2008, Budapest, Hungary, October 2008. Proceedings. Springer LNAI 5254:359–373, 2008.

[79] Sanjay Jain and Frank Stephan. Numberings optimal for learning. *Journal of Computer and System Sciences*, 76:233–250, 2010. *Algorithmic Learning Theory*, Nineteenth International Conference, ALT 2008, Budapest, Hungary, October 2008. Proceedings. Springer LNAI 5254:434–448, 2008.

[80] Bjoern Kjos-Hanssen, André Nies, Frank Stephan and Liang Yu. Higher Kurtz randomness. *Annals of Pure and Applied Logic*, 161:1280–1290, 2010.

[81] Carl Mummert and Frank Stephan. Topological aspects of poset spaces. *The Michigan Mathematical Journal*, 59:3–24, 2010.

[82] Sanjay Jain, Yuh Shin Ong and Frank Stephan. Regular patterns, regular languages and context-free languages. *Information Processing Letters* 110:1114–1119, 2010.

[83] Sanjay Jain, Frank Stephan and Jason Teutsch. Index sets and universal numberings. *Journal of Computer and System Sciences* 77:760–773, 2011.

[84] Cristian S. Calude, Nicholas J. Hay and Frank Stephan. Representation of left-computable epsilon-random reals. *Journal of Computer and System Sciences* 77:812–819, 2011.

[85] Cristian S. Calude, André Nies, Ludwig Staiger and Frank Stephan. Universal recursively enumerable sets of strings. *Theoretical Computer Science* 412:2253–2261, 2011. *Developments in Language Theory*, Twelfth International Conference, DLT 2008, Kyoto, Japan. Proceedings. Springer LNCS 5257:170–182, 2008.

[86] Sanjay Jain, Qinglong Luo, Pavel Semukhin and Frank Stephan. Uncountable automatic classes and learning. *Theoretical Computer Science* 412:1805–1820, 2011. Algorithmic Learning Theory, Twentieth International Conference, ALT 2009, Porto, Portugal, October 3-5, 2009. Proceedings. Springer LNAI 5809:293–307, 2009.

[87] Johanna Franklin, Frank Stephan and Liang Yu. Relativizations of randomness and genericity notions. *Bulletin of the London Mathematical Society* 43:721–733, 2011.

[88] Johanna Franklin and Frank Stephan. Van Lambalgen's theorem and high degrees. *Notre Dame Journal of Formal Logic*, 25:173–185, 2011.

[89] Bjoern Kjos-Hanssen, Wolfgang Merkle and Frank Stephan. Kolmogorov Complexity and the Recursion Theorem. *Transactions of the American Mathematical Society*, 263:5465–5480, 2011. STACS 2006: *Twenty-Third Annual Symposium on Theoretical Aspects of Computer Science*, Marseille, France, February 23-25, 2006. Proceedings. Springer LNCS 3884:149–161, 2006.

[90] Frank Stephan and Jason Teutsch. An incomplete set of shortest descriptions. *The Journal of Symbolic Logic*, 77:291-307, 2012.

[91] Laurent Bienvenu, Frank Stephan and Jason Teutsch. How powerful are integervalued martingales? *Theory of Computing Systems*, 51:330-351, 2012. *6th Conference on Computability in Europe*, CiE 2010, Ponta Delgada, Azores, Portugal, June 30 - July 4, 2010, Proceedings. Springer LNCS 6158:59–68, 2010.

[92] John Case, Sanjay Jain, Trong Dao Le, Yuh Shin Ong, Pavel Semukhin and Frank Stephan. Automatic learning of subclasses of pattern languages. *Information and Computation*, 218:17–35, 2012. *Language and Automata Theory and Applications*, LATA 2011, Taragona, Spain, May 2011, Proceedings. Springer LNCS 6638:192–203, 2011.

[93] Sanjay Jain, Qinglong Luo and Frank Stephan. Learnability of automatic classes. *Journal of Computer and System Sciences*, 78:1910–1927, 2012. *Language and Automata Theory and Applications*, Fourth International Conference, LATA 2010, Trier, May 2010, Proceedings. Springer LNCS 6031:293–307, 2010.

[94] Bjoern Kjos-Hanssen, Frank Stephan and Jason Teutsch. Arithmetic complexity via effective names for random sequences. *ACM Transactions on Computational Logic*, 13(3):24:1-24:18, 2012.

[95] Frank Stephan and Guohua Wu. Highness, locally noncappability and nonboundings. *Annals of Pure and Applied Logic* 164:511–522, 2013.

[96] Philipp Schlicht and Frank Stephan. Automata on ordinals and linear orders. *Annals of Pure and Applied Logic* 164:523–527, 2013. Seventh conference on *Computability in Europe*, CiE 2011, Sofia, Bulgaria, June/July 2011, Proceedings. Springer LNCS 6735:252–259, 2011.

[97] Pavel Semukhin and Frank Stephan. Automatic models of first order theories. *Annals of Pure and Applied Logic* 164:837–854, 2013.

[98] Johanna Franklin, Noam Greenberg, Frank Stephan and Guohua Wu. Anticomplex sets and reducibilities with tiny use. *The Journal of Symbolic Logic*, 78:1307–1327, 2013.

[99] John Case, Sanjay Jain, Samuel Seah and Frank Stephan. Automatic functions, linear time and learning. *Logical Methods in Computer Science*, 9(3), 2013. *How the World Computes - Turing Centenary Conference and Eighth Conference on Computability in Europe*, CiE 2012, Cambridge, UK, June 18–23, 2012. Proceedings. Springer LNCS 7318:96–106, 2012.

[100] Rupert Hölzl, Thorsten Kräling, Frank Stephan and Guohua Wu. Initial segment complexities of randomness notions. *Information and Computation* 234:57–67, 2014. *Sixth IFIP TC 1/WG 2.2 International Conference on Theoretical Computer Science*, IFIP TCS 2010, Brisbane, Australia, September 20-23, 2010. Proceedings. Springer IFIP 232:259–270, 2010.

[101] Frank Stephan and Jason Teutsch. Things which can be made into themselves. (1208.0682v3) *Information and Computation*, 237:174–186, 2014.

[102] Sanjay Jain, Eric Martin and Frank Stephan. Robust learning of automatic classes of languages. *Journal of Computer and System Sciences*, 80:777–795, 2014. *Algorithmic Learning Theory*, Twentysecond International Conference, ALT 2011, Espoo, Finland, October 5-7, 2011. Proceedings. Springer LNAI 6925:55–69, 2011.

[103] John Case, Sanjay Jain, Yuh Shin Ong, Pavel Semukhin and Frank Stephan. Automatic learners with feedback queries. *Journal of Computer and System Sciences*, 80:806–820, 2014. Seventh conference on *Computability in Europe*, CiE 2011, Sofia, Bulgaria, June/July 2011, Proceedings. Springer LNCS 6735:31–40, 2011.

[104] Alex Gavryushkin, Sanjay Jain, Bakhadyr Khoussainov and Frank Stephan. Graphs realised by r.e. equivalence relations. *Annals of Pure and Applied Logic*, 165:1263–1290, 2014.

[105] Frank Stephan and Liang Yu. A reducibility related to being hyperimmune-free. *Annals of Pure and Applied Logic*, 165:1291–1300, 2014.

[106] Keng Meng Ng, André Nies and Frank Stephan. The complexity of recursive splittings of random sets. *Computability*, 3:1–8, 2014.

[107] Cameron Freer, Bjoern Kjos-Hanssen, André Nies and Frank Stephan. Algorithmic aspects of Lipschitz functions. *Computability*, 3:45–61, 2014.

[108] Ziyuan Gao and Frank Stephan. Confident and consistent partial learning of recursive functions. *Theoretical Computer Science*, 558:5–17, 2014. *Algorithmic Learning Theory, Twentythird International Conference*, ALT 2012, Lyon, France, October 29-31, 2012. Proceedings. Springer LNAI 7568:51-65, 2012.

[109] Stephen G. Simpson and Frank Stephan. Cone avoidance and randomness preservation. *Annals of Pure and Applied Logic*, 166:713–728, 2015.

[110] Chitat Chong, Gordon Hoi, Frank Stephan and Daniel Turetsky. Partial functions and Domination. *Logical Methods in Computer Science* 11(3), 2015.

[111] Rupert Hölzl, Frank Stephan and Liang Yu. On Martin's Pointed Tree Theorem. *Computability* 5:147–157, 2015.

[112] Cristian S. Calude, Rusins Freivalds, Sanjay Jain and Frank Stephan. Deterministic frequency pushdown automata. *Journal of Universal Computer Science*, 21:1563–1576, 2015.

[113] Christopher Hanrui Chak, Rusins Freivalds, Frank Stephan and Henrietta Tan Wan Yik. On Block Pumpable Languages. *Theoretical Computer Science*, 609:272–285, 2016.

[114] Alex Gavryushkin, Bakhadyr Khoussainov and Frank Stephan. Reducibilities among Equivalence Relations induced by Recursively Enumerable Structures. *Theoretical Computer Science*, 612:137–152, 2016.

[115] Ziyuan Gao, Frank Stephan and Sandra Zilles. Partial learning of recursively enumerable languages. *Theoretical Computer Science* 620:137–152, 2016. *Algorithmic Learning Theory, Twentyfourth International Conference*, ALT 2013, Singapore, October 6–9, 2013. Proceedings. Springer LNAI 8139:113–127, 2013.

[116] Sanjay Jain, Bakhadyr Khoussainov, Philipp Schlicht and Frank Stephan. Tree-automatic scattered linear orders. *Theoretical Computer Science*, 626:83–96, 2016.

[117] Cristian S. Calude, Ludwig Staiger and Frank Stephan. Finite state incompressible infinite sequences. *Information and Computation*, 247:23–36, 2016. *Theory and Applications of Models of Computation* – Eleventh Annual Conference, TAMC 2014, Chennai, India, April 11–13, 2014. Proceedings. Springer LNCS 8402:50–66, 2014.

[118] Sanjay Jain, Timo Kötzing, Junqi Ma and Frank Stephan. On the role of update constraints and text-types in iterative learning. *Information and Computation*, 247:152–168, 2016. *Algorithmic Learning Theory - Twentyfifth International Conference*, ALT 2014, Bled, Slovenia, 8–10 October 2014, *Springer LNCS*, 8776:55-69, 2014.

[119] Rupert Hölzl, Sanjay Jain and Frank Stephan. Inductive inference and reverse mathematics. *Annals of Pure and Applied Logic* 167:1242–1266, 2016. *Thritysecond International Symposium on Theoretical Aspects of Computer Science*, STACS 2015, March 4-7, 2015, Garching, Germany. LIPIcs 30, Schloss Dagstuhl - Leibniz-Zentrum für Informatik, pages 420–433, 2015.

[120] Sanjay Jain, Timo Kötzing and Frank Stephan. Enlarging learnable classes. *Information and Computation* 251:194–207, 2016. *Algorithmic Learning Theory, Twentythird International Conference*, ALT 2012, Lyon, France, October 29-31, 2012. Proceedings. Springer LNAI 7568:36-50, 2012.

[121] Bjoern Kjos-Hanssen, Frank Stephan and Sebastiaan A. Terwijn. Covering the recursive sets. *Annals of Pure and Applied Logic*, 168(4):804–823, 2017. *Evolving Computability – Eleventh Conference on Computability in Europe*, CiE2015, Bucharest, Romania, 29 June – 3 July 2015. Proceedings. Springer LNCS 9136:44–53, 2015.

[122] Sanjay Jain, Frank Stephan and Jason Teutsch. Closed left-r.e. sets. *Computability*, 6(1):1–21, 2017. *Theory and Models of Computation 2011*, Eighth Annual Conference, TAMC 2011, Tokyo, Japan, May 2011, Proceedings. Springer LNCS 6648:218–229, 2011.

[123] Philippe Moser and Frank Stephan. Depth, highness and DNR degrees. *Discrete Mathematics and Theoretical Computer Science*, 19(4-2):1–15, 2017. *Fundamentals of Computation Theory*, Twentieth International Symposium, FCT 2015, Gdansk, Poland, August 17-19, 2015, Proceedings. *Springer LNCS* 9210, 81–94, 2015.

[124] Sanjay Jain, Bakhadyr Khoussainov, Frank Stephan, Dan Teng and Siyuan Zou. Semiautomatic structures. *Theory of Computing Systems*, 61(4):1254–1287, 2017. Computer Science – Theory and Applications – Ninth International *Computer Science Symposium in Russia*, CSR 2014, Moscow, Russia, June 7–11, 2014. Proceedings. Springer LNCS 8476:204–217, 2014.

[125] Kenshi Miyabe, André Nies and Frank Stephan. Randomness and Solovay Degrees. *Journal of Logic and Analysis*, 10(3):1–13, 2018.

[126] Philippe Moser and Frank Stephan. Limit-depth and DNR degrees. *Information Processing Letters*, 135:36–40, 2018.

[127] John Case, Sanjay Jain and Frank Stephan. Effectivity questions for Kleene's Recursion Theorem. *Theoretical Computer Science*, 733:55–70, 2018. *Symposium on Logical Foundations in Computer Science*, LFCS 2013, San Diego, CA, USA, January 2013. Springer LNCS 7734:89–103, 2013.

[128] Rupert Hölzl, Sanjay Jain and Frank Stephan. Learning pattern languages over groups. *Theoretical Computer Science*, 742:66–81, 2018. *Algorithmic Learning Theory - Twenty-seventh International Conference*, ALT 2016, Bari, Italy, October 19–21, 2016, Proceedings. *Springer LNCS* 9925:189–203, 2016.

[129] Eric Martin and Frank Stephan. Implementing fragments of ZFC within an r.e. universe. *Journal of Logic and Computation*, 28(1):1–32, 2018. Technical Report TRE6/09, School of Computing, National University of Singapore, 2009.

[130] Sanjay Jain, Bakhadyr Khoussainov and Frank Stephan. Finitely generated semiautomatic groups. *Computability*, 7(2-3):273–287, 2018. *Pursuit of the Universal, Twelfth Conference on Computability in Europe*, CiE 2016, Paris, France, 27 June - 1 July 2016, Proceedings. *Springer LNCS* 9709:282–291, 2016.

[131] George Barmpalias, Nan Fang and Frank Stephan. Equivalences between learning of data and probability distributions and their applications. *Information and Computation* 262:123–140, 2018.

[132] Sanjay Jain, Bakhadyr Khoussainov, Philipp Schlicht and Frank Stephan The isomorphism problem for tree-automatic ordinals with addition. *Information Processing Letters*, 149:19–24, 2019.

[133] Sanjay Jain, Alexei Miasnikov and Frank Stephan. The complexity of verbal languages over groups. *Journal of Computer and System Sciences*, 101:68–85, 2019. *Twentyseventh IEEE Symposium on Logic in Computer Science*, LICS 2012, 25–28 June 2012, Dubrovnik, Croatia; IEEE Computer Society, pages 405–414, 2012.

[134] Ian Herbert, Sanjay Jain, Manat Mustafa, Steffen Lempp and Frank Stephan. Reductions between types of numberings. *Annals of Pure and Applied Logic*, 170:102716:1–25, 2019.

[135] Cristian S. Calude, Sanjay Jain, Wolfgang Merkle and Frank Stephan. Searching for shortest and least programs. *Theoretical Computer Science*, 807:114–127, 2020.

[136] Rupert Hölzl, Wolfgang Merkle, Joseph Miller, Frank Stephan and Liang Yu. Chaitin's Omega as a continuous function. *The Journal of Symbolic Logic*, 85:486–510, 2020.

[137] Kojiro Higuchi, Steffen Lempp, Dilip Raghavan and Frank Stephan. On the order dimension of locally countable partial orderings. *Proceedings of the AMS*, 148:2823–2833, 2020. Also available as technical report on http://arxiv.org/abs/1902.06030.

[138] Cristian S. Calude, Karen Frilya Celine, Ziyuan Gao, Sanjay Jain, Ludwig Staiger and Frank Stephan. Bi-immunity of different size alphabets. *Theoretical Computer Science* 894:31–49, 2021. Also available as technical report Research Reports CDMTCS-552 at the University of Auckland https://researchspace.auckland.ac.nz/handle/2292/58014

[139] Gordon Hoi and Frank Stephan. Improved algorithms for the generalised exact satisfiability problem. *Theoretical Computer Science* 889:60–84, 2021.

[140] Sanjay Jain, Frank Stephan and Thomas Zeugmann. On the amount of nonconstructivity in learning formal languages from text. *Information and Computation* 281:101893, 2021.

[141] Ziyuan Gao, Sanjay Jain, Zeyong Li, Ammar Fathin Sabili and Frank Stephan. A computation model with automatic functions and relations as primitive operations. *Theoretical Computer Science* 924:94–116, 2022.

[142] André Nies and Frank Stephan. Randomness and initial segment complexity for measures. *Theoretical Computer Science* 900:1–19, 2022. Title of technical report: A weak randomness notion for probability measures. Technical Report on http://arxiv.org/abs/1902.07871, 2019.

[143] Cristian S. Calude, Sanjay Jain, Bakhadyr Khoussainov, Wei Li and Frank Stephan. Deciding parity games in quasipolynomial time. *SIAM Journal on Computing* 51(2):17–152, 2022. *Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing*, STOC 2017, Montreal, QC, Canada, June 19-23, 2017. Pages 252–263, ACM, 2017. See also: Technical Report, Centre for Discrete Mathematics and Theoretical Computer Science, University of Auckland, Number 500, October 2016, Revised April 2017

[144] Sanjay Jain, Shao Ning Kuek, Eric Martin and Frank Stephan. Learners based on transducers. *Information and Computation* 283:104676, 2022. *Language and Automata Theory and Applications* – Twelfth International Conference, LATA 2018, Ramat Gan, Israel, 9–11 April 2018, Proceedings. *Springer LNCS*, 10792:169–181, 2018.

[145] Sanjay Jain, Birzhan Moldagaliyev, Frank Stephan and Tien Dat Tran. Lamplighter groups and automata. *Acta Informatica* 59(4):451–478, 2022.

Frank Stephan. String-compression in FA-presentable structures. *Theoretical Computer Science* 947:113705, 2023.

[146] Sanjay Jain, Xiaodong Jia, Ammar Fathin Sabili and Frank Stephan. Addition machines, automatic functions and open problems of Floyd and Knuth. *Journal of Computer and System Sciences*, 136:135–156, 2023.

Refereed conference articles which are not yet or which will not be published in journals

[147] Martin Kummer and Frank Stephan. The power of frequency computation. *Proceedings of the Tenth International Conference on Fundamentals of Computation Theory* – FCT 1995, Springer LNCS 969, 323–332, 1995.

[148] Susanne Kaufmann and Frank Stephan. Resource bounded next value and explanatory identification: learning automata, patterns and polynomials on-line. *Proceedings of the Conference on Computational Learning Theory* – COLT 1997, Nashville, 263–274, 1997.

[149] Matthias Ott and Frank Stephan. The complexity of learning branches and strategies from queries. *Proceedings of the Eighth Annual International Symposium on Algorithms and Computation* – ISAAC 1997, Springer LNCS 1350, 283–292, 1997.

[150] William Gasarch and Frank Stephan. A techniques-oriented survey of bounded queries. *Models and Computability* (*invited papers from Logic Colloquium 1997*) London Mathematical Society Lecture Note Series 259, 117–156, 1999. *Forschungsberichte Mathematische Logik 32 / 1998, Mathematisches Institut, Universität Heidelberg*, Heidelberg, 1998.

[151] Klaus Ambos-Spies, Levke Bentzien, Peter Fejer, Wolfgang Merkle and Frank Stephan. Collapsing polynomial-time degrees. *Logic Colloquium 1998 — Proceedings of the Annual European Summer Meeting of the Association for Symbolic Logic, held in Prague, Czech Republic*, ASL Lecture Notes in Logic 13:1–24, 2000.

[152] Andrew Mitchell, Tobias Scheffer, Arun Sharma and Frank Stephan. The VC-Dimension of subclasses of pattern languages. *Proceedings of the Ninth Annual Workshop on Algorithmic Learning Theory* – ALT 1999, Springer LNCS 1720, 93–105, 1999.

[153] Frank Stephan and Thomas Zeugmann. Average-case complexity of learning polynomials. *Proceedings of the Thirteenth Annual Conference on Computational Learning Theory* – COLT 2000, Morgan Kaufmann, 59–68, 2000.

[154] Klaus Ambos-Spies, Wolfgang Merkle, Jan Reimann and Frank Stephan. Hausdorff Dimension in Exponential Time. *Proceedings Sixteenth Annual IEEE Conference on Computational Complexity* (*formerly Structure in Complexity Theory*), IEEE Computer Society, 210–217, 2001.

[155] Eric Martin, Arun Sharma and Frank Stephan. A general theory of deduction, induction and learning. *Discovery Science, Fourth International Conference*, DS 2001, Washington, DC, USA, November 2001, Proceedings, Springer LNAI 2226:228–242, 2001.

[156] Jan Reimann and Frank Stephan. Effective Hausdorff dimension. *Logic Colloquium 2001, Proceedings of the Annual European Summer Meeting of the Association for Symbolic*

Logic, held in Vienna, Austria, August 1–6, 2001, ASL Lecture Notes in Logic 20:369–385, 2005.

[157] Rod G. Downey, Denis R. Hirschfeldt, Andre Nies and Frank Stephan. Trivial Reals *Fifth Workshop on Computability and Complexity in Analysis*, Electronic Notes in Theoretical Computer Science, Elsevier, Volume 66, Issue 1, Article 5, 2002. Final version in: *Proceedings of the 7th and 8th Asian Logic Conferences* (7th Conference: Hsi-Tou, Taiwan 6 – 10 June 1999, 8th Conference: Chongqing, China 29 August – 2 September 2002), World Scientific, 103–131, 2003.

[158] Eric Martin, Phuong Nguyen, Arun Sharma and Frank Stephan. Learning in logic with RichProlog. *Porceedings of the International Conference on Logic Programming* – ICLP 2002, Springer LNCS 2401:239–254, 2002.

[159] Sanjay Jain and Frank Stephan. *A tour of robust learning. Computability and Models. Perspectives East and West.* Edited by S. Barry Cooper and Sergei S. Goncharov. Kluwer Academic / Plenum Publishers, University Series in Mathematics, pages 215–247, 2003.

[160] Marcus Schaefer and Frank Stephan. Strong reductions and immunity for exponential time. *Twentieth International Symposium on Theoretical Aspects of Computer Science*, STACS 2003, Berlin, Germany, February/March 2003, Proceedings; Springer LNCS 2607:559–570, 2003. Long version (that is, this file on the internet) is an update of the DePaul University Technical Report TR02-004, 2002.

[161] Bakhadyr Khoussainov, Sasha Rubin and Frank Stephan. On automatic partial orders. *Proceedings of Eighteenth IEEE Symposium on Logic in Computer Science*, LICS 2003; IEEE Computer Society, pages 168–177, 2003. Research Report 208, Centre for Discrete Mathematics and Theoretical Computer Science, The University of Auckland, November 2003.

[162] Bakhadyr Khoussainov, Sasha Rubin and Frank Stephan. Definability and regularity in automatic structures. *STACS 2004, 21st Annual Symposium on Theoretical Aspects of Computer Science*, Montpellier, France, March 25–27, 2004, Proceedings; Springer LNCS 2996:440–451, 2004.

[163] Frank Stephan and Guohua Wu. Presentations of K-Trivial Reals and Kolmogorov Complexity. New Computational Paradigms: First Conference on Computability in Europe, CiE 2005, Amsterdam, The Netherlands, June 8-12, 2005. Proceedings. Springer LNCS 3526:461–469, 2005.

[164] Sanjay Jain, Eric Martin and Frank Stephan. Absolute Versus Probabilistic Classification in a Logical Setting. *Algorithmic Learning Theory: Sixteenth International Conference*, ALT 2005, Singapore, October 2005. Proceedings. Springer LNAI 3734:327–342, 2005.

[165] Manindra Agrawal, Frank Stephan, P.S. Thiagarajan and Shaofa Yang. Behavioural Approximations for Restricted Linear Differential Hybrid Automata. *Hybrid Systems: Computation and Control: Ninth International Workshop*, HSCC 2006, Santa Barbara, CA, USA, March 29-31, 2006. Proceedings. Springer LNCS 3927:4–18, 2006.

[166] Sanjay Jain and Frank Stephan. Some recent results in U-shaped learning. Some Recent Results in U-Shaped Learning. *Theory and Applications of Models of Computation*: Third

International Conference, TAMC 2006, Beijing, China, May 15-20, 2006. Proceedings. Springer LNCS, 3959:421–431, 2006.

[167] Frank Stephan and Liang Yu. Lowness for weakly 1-generic and Kurtz-random. *Theory and Applications of Models of Computation*: Third International Conference, TAMC 2006, Beijing, China, May 15-20, 2006. Proceedings. Springer LNCS, 3959:756–764, 2006.

[168] Frank Stephan. Martin-Löf Random and PA-complete Sets. *Proceedings of ASL Logic Colloquium 2002.* ASL Lecture Notes in Logic, 27:342–348, 2006.

[169] Jan Reimann and Frank Stephan. Hierarchies of randomness tests. *Mathematical Logic in Asia.* Proceedings of the Ninth Asian Logic Conference, Novosibirsk, Russia 16 - 19 August 2005, pages 215–232, 2006.

[170] Wolfgang Merkle and Frank Stephan. On C-Degrees, H-Degrees and T-Degrees. *Twenty-Second Annual IEEE Conference on Computational Complexity* (CCC 2007), San Diego, USA, 12 - 16 June 2007, pages 60–69, 2007.

[171] Frank Stephan. Hausdorff-dimension and weak truth-table reducibility. *Logic Colloquium 2004*, ASL Lecture Notes in Logic 29:157–167, 2008.

[172] Alexander Raichev and Frank Stephan. A minimal rK-degree. *Computational Prospects of Infinity*, Lecture Notes Series, Institute for Mathematical Sciences, National University of Singapore, 15:261–269, 2008.

[173] Sanjay Jain and Frank Stephan. Consistent partial identification. *Computational Learning Theory*, Proceedings, 10 pages, 2009.

[174] Sanjay Jain, Frank Stephan and Nan Ye. Learning from Streams. Algorithmic Learning Theory, Twentieth International Conference, ALT 2009, Porto, Portugal, October 3-5, 2009. Proceedings. Springer LNAI 5809:338–352, 2009.

[175] Frank Stephan, Yue Yang and Liang Yu. Turing degrees and the Ershov hierarchy. *Proceedings of the Tenth Asian Logic Conference*, Kobe, Japan, 1–6 September 2008, World Scientific, pages 300–321, 2009.

[176] Hongyang Li and Frank Stephan. Splitting of learnable classes. *Grammatical Inference: Theoretical Results and Applications*, Tenth International Colloquium, ICGI 2010, Valencia, Spain, September 13-16, 2010. Proceedings. Springer LNCS 6339:109–121, 2010.

[177] Sanjay Jain, Yuh Shin Ong, Shi Pu and Frank Stephan. On automatic families. *Proceedings of the eleventh Asian Logic Conference* in honour of Professor Chong Chitat on his sixtieth birthday, pages 94–113, World Scientific, 2012.

[178] Sanjay Jain, Eric Martin and Frank Stephan. Learning and classifying. Algorithmic Learning Theory, Twentysecond International Conference, ALT 2011, Espoo, Finland, October 5-7, 2011. Proceedings. Springer LNAI 6925:70–83, 2011.

[179] Frank Stephan, Ryo Yoshinaka and Thomas Zeugmann. On the Parameterised Complexity of Learning Patterns. *Computer and Information Sciences II* – 26th International Symposium on Computer and Information Sciences, London, UK, 26-28 September 2011. Springer, pages 277–281, 2011.

[180] Ziyuan Gao, Frank Stephan, Guohua Wu and Akihiro Yamamoto. Learning families of closed sets in matroids. *Computation, Physics and Beyond; International Workshop on Theoretical Computer Science*, WTCS 2012, Springer LNCS 7160:120–139, 2012.

[181] Ziyuan Gao and Frank Stephan. Learnability of co-r.e. classes. Language and Automata Theory and Applications – Sixth International Conference, LATA 2012, Spain, March 5–9, 2012. Proceedings. Springer LNCS 7183:252-263, 2012.

[182] Wolfgang Merkle, Frank Stephan, Jason Teutsch, Wei Wang and Yue Yang. Selection by recursively enumerable sets. *Theory and Models of Computation 2013*, Tenth International Conference, TAMC 2013, Hong Kong, China, May 2013, Proceedings. Springer LNCS 7876:144–155, 2013.

[183] Ziyuan Gao, Sanjay Jain and Frank Stephan. On conservative learning of r.e. languages. *Ninth Conference on Computability in Europe*, CiE 2013, Milan, Italy, July 1–5, 2013. Springer LNCS 7921:181–190, 2013.

[184] Ziyuan Gao, Sanjay Jain, Frank Stephan and Sandra Zilles. A survey on recent results on partial learning. *Proceedings of the Thirteenth Asian Logic Conference*, World Scientific, pages 68–92, 2015.

[185] Sanjay Jain, Junqi Ma and Frank Stephan. Priced learning. *Algorithmic Learning Theory - Twentysixth International Conference*, ALT 2015, Banff, AB, Canada, October 4–6, 2015, Proceedings. *Springer LNCS* 9355, 41–55, 2015.

[186] Ziyuan Gao, Frank Stephan and Sandra Zilles. Combining models of approximation with partial learning. *Algorithmic Learning Theory - Twentysixth International Conference*, ALT 2015, Banff, AB, Canada, October 4–6, 2015, Proceedings. *Springer LNCS* 9355:56–70, 2015.

[187] John Fearnley, Sanjay Jain, Sven Schewe, Frank Stephan and Dominik Wojczak. An ordered approach to solving parity games in quasi polynomial time and quasi linear space. *SPIN 2017, The Proceedings of the 24th International ACM SIGSOFT International SPIN Symposium on Model Checking of Software*, pages 112–121, 2017. See also: Technical report on http://arxiv.org/abs/1703.01296, 2017.

[188] Rupert Hölzl, Sanjay Jain, Philipp Schlicht, Karen Seidel and Frank Stephan. Automatic learning from repetative texts. *International Conference on Algorithmic Learning Theory*, ALT 2017, 15-17 October 2017, Kyoto University, Kyoto, Japan. *Proceedings of Machine Learning Research*, 76:129–150, 2017.

[189] André Nies and Frank Stephan. Robustness of resource bounded randomness notions. *Symposium on Theoretical Aspects of Computer Science*, LIPICS Proceedings, STACS 2018, 51:1–10, 2018.

[190] Ziyuan Gao, Sanjay Jain, Frank Stephan and Thomas Zeugmann. On the help of bounded shot verifiers, comparators and standardisers for learnability in inductive inference. *International Conference on Algorithmic Learning Theory*, ALT 2018, 7-9 April 2018, Lanzarote, Canary Islands, Spain *Proceedings of Machine Learning Research*, 83:413–437, 2018.

[191] Gordon Hoi, Sanjay Jain, Sibylle Schwarz and Frank Stephan. Exact satisfiability with jokers. *International Conference on Theory and Applications of Models of Computation*, TAMC 2019, *Springer LNCS*, 11436:279–294, 2019.

[192] Aquinas Hobor, Elaine Li and Frank Stephan. Pumping, with or Without Choice. *Programming Languages and Systems – Seventeenths Asian Symposium*, APLAS 2019, Springer LNCS 11893:427-446, 2019.

[193] Gordon Hoi, Sanjay Jain and Frank Stephan. A fast exponential time algorithm for Max Hamming Distance X3SAT. *Thirtyninth IARCS Annual Conference on Foundations of Software Technology and Theoretical Computer Science*, FSTTCS 2019, LIPIcs 150:17:1–17:14, 2019.

[194] Gordon Hoi and Frank Stephan. Measure and Conquer for Max Hamming Distance XSAT. *Thirtieth International Symposium on Algorithms and Computation*, ISAAC 2019, LIPIcs 149:15:1-15:19, 2019.

[195] Ziyuan Gao, Sanjay Jain, Bakhadyr Khoussainov, Wei Li, Alexander G. Melnikov, Karen Seidel and Frank Stephan. Random Subgroups of Rationals. *Fortyfourth International Symposium on Mathematical Foundations of Computer Science*, MFCS 2019, LIPIcs 138:25:1-25:14, 2019.

[196] Ziyuan Gao, Sanjay Jain, Ji Qi, Philipp Schlicht, Frank Stephan and Jacob Tarr. Ordered semiautomatic rings with applications to geometry. *Language and Automata Theory and Applications*, Fourteenth International Conference, LATA 2020, Milan, Italy, Proceedings. *Springer LNCS* 12038:141–153, 2020.

[197] David Belanger, Ziyuan Gao, Sanjay Jain, Wei Li and Frank Stephan. Learnability and positive equivalence relations. *Language and Automata Theory and Applications* – Fifteenth International Conference, LATA 2021, Milan, 1–5 March 2021, Proceedings. *Springer LNCS 12638*:145–156, 2021.

[198] Ziyuan Gao, Sanjay Jain, Zeyong Li, Ammar Fathin Sabili and Frank Stephan. Alternating automatic register machines. *Theoretical Aspects of Computing* – ICTAC 2022 – Nineteenth International Colloquium, Tbilisi, Georgia, 27-29 September 2022, Proceedings. *Springer LNCS* 13572:195–211, 2022.

[199] Keng Meng Ng, Frank Stephan, Yue Yang and Liang Yu. On trees without hyperimmune branches. *Revolutions and Revelations in Computability* – Eighteenth Conference on Computability in Europe, CiE 2022, Swansea, UK, 11-15 July 2022, Proceedings. *Springer LNCS* 13359:234–245, 2022.

[200] Gordon Hoi, Sanjay Jain, Ammar Fathin Sabili and Frank Stephan. A bisection approach to Subcubic Maximum Induced Matching. Accepted for Walcom 2024, Springer, 16 pages, 2024.

Bookchapters and Invited Unrefereed Talks

[201] Wolfram Menzel and Frank Stephan. Inductive versus approximative learning. *Perspectives on Adaptivity and Learning*, edited by Reimer Kühn, Randolf Menzel, Wolfram

Menzel, Ulrich Ratsch, Michael M. Richter, Ion-Olimpiu Stamatescu. Springer, pages 187–209, 2003.

[202] Frank Stephan. The complexity of the set of nonrandom numbers. *Randomness and Complexity, from Leibnitz to Chaitin*, edited by Cristian S. Calude. World Scientific, pages 217–230, 2007.

[203] Frank Stephan. Automatic structures – recent results and open questions. Keynote Talk. *Third International Conference on Science and Engineering in Mathematics, Chemistry and Physics*, ScieTech 2015 (pages 121–130 in proceedings booklet), *Journal of Physics: Conference Series*, 622/1 (Paper 012013) 2015.

[204] Sanjay Jain and Frank Stephan. Learning automatic families of languages. SOFSEM 2016: *Theory and Practice of Computer Science - Fourty Second International Conference on Current Trends in Theory and Practice of Computer Science* Harrachov, Cxech Republic, January 23-28, 2016, Proceedings. *Springer LNCS* 9587, 29–40, 2016.

[205] Rupert Hölzl, Dilip Raghavan, Frank Stephan and Jing Zhang. Weakly represented families in reverse mathematics. *Computability and Complexity – Essays Dedicated to Rodney G. Downey on the Occasion of His Sixtieth Birthday.* Springer LNCS 10010:160–187, 2017.

Examination texts

[206] Frank Stephan. *X-Räume als Verallgemeinerung topologischer Räume.* Dissertation, Karlsruhe 1990.

[207] Frank Stephan. *Degrees of Computing and Learning.* Habilitationsschrift at the Universität Heidelberg. Revised version, published as *Forschungsberichte Mathematische Logik 46 / 1999, Mathematisches Institut, Universität Heidelberg*, Heidelberg, 1999. Contains the publications [12, 15, 19, 25, 26, 29].

Technical reports and manuscripts

[208] Martin Kummer and Frank Stephan. Some aspects of frequency computation. Interner Bericht Nr. 21 / 1991, Fakultät für Informatik, Universität Karlsruhe (T.H.), 76128 Karlsruhe, 1991.

[209] William Gasarch and Frank Stephan. *Finding isolated cliques by queries – an approach to fault diagnosis with many faults.* Dagstuhl Seminar Proceedings 04421, Algebraic Methods in Computational Complexity, Internationales Begegnungs- und Forschungszentrum fuer Informatik (IBFI), Schloss Dagstuhl, Germany, 2005.

[210] Johanna Franklin and Frank Stephan. Intersections of r.e. and random sets. Manuscript, 2012.

[211] Sanjay Jain, Efim Kinber and Frank Stephan. Automatic learning from positive data and negative counterexamples. Manuscript, 2016.

[212] Sanjay Jain, Prateek Saxena, Frank Stephan and Jason Teutsch. How to verify computation with a rational network. Technical report on http://www.arxiv.org/abs/1606.05917.

[213] Philippe Moser and Frank Stephan. Towards a theory of sophistication of sets. Manuscript, 2018.

[214] Rupert Hölzl, Sören Kleine and Frank Stephan. Improved lower bounds for strong n-conjectures. Technical report on https://arxiv.org/abs/2409.13439, 2024.

[215] Gordon Hoi and Frank Stephan. Improved algorithms for the general exact satisfiablity problem. Technical report on https://arxiv.org/abs/2101.08637.

Proceedings and Special Issues Edited

[216] José L. Balcázar, Philip M. Long and Frank Stephan (Eds.). *Algorithmic Learning Theory*. Seventeenth International Conference, ALT 2006, Barcelona, Spain, October 7-10, 2006, Proceedings. *Springer LNCS* 4264, 2006. Special Issue in *Theoretical Computer Science*, Volume 405, Issue 3, Oct. 17, 2008.

[217] Marcus Hutter, Frank Stephan, Vladimir Vovk and Thomas Zeugmann (Eds.). *Algorithmic Learning Theory*. Twentyfirst International Conference, ALT 2010, Canberra, Australia, October 6-8, 2010. Proceedings. *Springer LNCS* 6331, 2010. Special Issue in *Theoretical Computer Science*, Volume 473, February 18, 2013.

[218] Sanjay Jain, Rémi Munos, Frank Stephan and Thomas Zeugmann (Eds.). *Algorithmic Learning Theory*. Twentyfourth International Conference, ALT 2013, Singapore, October 6-9, 2013. Proceedings. *Springer LNCS* 8139, 2013. Special Issue in *Theoretical Computer Science*, Volume 620, March 2016.

[219] Rahul Jain, Sanjay Jain and Frank Stephan (Eds.). *Theory and Applications of Models of Computation*. Twelfth Annual Conference, TAMC 2015, Singapore, May 18-20, 2015, Proceedings. *Springer LNCS* 9076, 2015.

Lecture Notes

[220] Frank Stephan. Einfürung in die Lerntheorie (Introduction into Learning Theory in German). University of Heidelberg, 2002.

[221] Frank Stephan. Set Theory. National University of Singapore, 2009.

[222] Frank Stephan. Recursion Theory. Also available as Technical Report TR10/12 of the School of Computing, National University of Singapore, 2012.

[223] Frank Stephan. Methods and Theory of Automata and Languages, consisting of course notes for Theory of Computation and Advanced Automata Theory, School of Computing, National University of Singapore; version of November 2016.